654

151300 3230

VIM PROMOVET INSITAM

UNIVERSITY OF BRISTOL

MEDICAL
LIBRARY

Presented by

B.M.L.

Restr. Med. 18

F

Digitized by the Internet Archive
in 2015

https://archive.org/details/b21442423

625 P.M.L.

PHARMACOPOEIA

COLLEGII REGII

MEDICORUM

EDINBURGENSIS.

EDINBURGI:
APUD JOANNEM BELL; ET
LONDINI,
APUD GEO. ROBINSON.
MDCCLXXXIII.

UNIVERSITY OF BRISTOL
MEDICAL
LIBRARY

GEORGIO III.

DEI GRATIA,

MAGNÆ BRITANNIÆ,

FRANCIÆ, ET HIBERNIÆ,

REGI;

REGUM OPTIMO,

SCIENTIARUM ARTIUMQUE

PATRONO;

COLLEGIUM REGIUM

MEDICORUM

EDINBURGENSE

PHARMACOPOEIAM SUAM,

SUMMA VENERATIONE,

DICAT CONSECRATQUE.

NOMINA SOCIORUM.

Alexander Monro, *Præſes et Electt. et in Acad. Edinb. Medicin. Anatom. et Chirurg. Prof.*

D. Alexander Dick, *Baronetus.*

Jacobus Baird.

Stuartus Threipland, *Elect.*

Jacobus Lind, *Noſocom. Haſlar. Med.*

Colinus Drummond.

Franciſcus Home, *Elect. Med. Reg. et in Acad. Edinb. Medicin. et Mat. Med. Prof.*

Gulielmus Cumming.

Alexander Stevenſon, *in Acad. Glaſg. Medicin. Prof.*

Gulielmus Cullen, *Elect. Med. Reg. Primar. et in Acad. Edinb. Medicin. Pract. Prof.*

Gregorius

Gregorius Grant, *Elect.*

Gulielmus Baylies.

Thomas Glen.

Joannes Gardiner, *Elect. et Bibliothecarius.*

Joannes Hope, *Elect. et in Acad. Edinb. Medicin. et Botan. Prof. et Noſocom. Reg. Edinb. Med.*

Thomas Young, *in Acad. Edinb. Artis Obſtetric. Prof.*

Gulielmus Butter.

Jacobus Walker.

Thomas Livingſtone.

Robertus Petrie.

Maxwell Garthſhore.

Andreas Wilſon.

Joannes Morgan, *in Schol. Illuſtr. Philadelph. Med. Prof.*

Joannes

Joannes Stedman, *Cenſor, et Noſocom. Reg. Edinb. Med.*

Jacobus Hay, *Collegii ab Ærario, Rei Militaris in Noſocom. Regio Edinb. Inſpector.*

Joſephus Black, *Cenſor, et in Acad. Edinb. Medicin. et Chem. Prof.*

Jacobus Mackittrick.

Gulielmus Shippen, *in Schol. Illuſtr. Philadelph. Anatom. Prof.*

Gulielmus Macfarlane, *ab Macfarlane.*

Jacobus Spence.

Jacobus Lind.

Andreas Duncan.

Jacobus Hamilton, *Noſocom. Regii Edinb. Med.*

Gulielmus Buchan.

Robertus Hamilton.

Edwardus

Edwardus Spry.

Nathaniel Spens.

Jacobus Hunter.

Robertus Langlands.

Daniel Rutherford, *Collegii ab Epiſtolis.*

Jacobus Gregory, *in Acad. Edinb. Medicin. Theor. Prof.*

Arnoldus Bartholomeus Beerenbrock.

Jacobus Hamilton.

Gulielmus Wright.

Thomas Gilleſpie.

Thomas Meik, *Med. Reg. ad Oppidum et Præſidium Portſmouth.*

Joannes Lind.

Gulielmus Grieve.

Henricus Cullen.

SOCII

SOCII HONORARII.

Henricus Dux de Buccleugh.
Georgius Dux de Montaguè.
Joannes Comes de Bute.

D. Joſephus Banks, Eques, *Societat. Reg. Londin. Præſes.*

Comes Joannes Baptiſta Carburi, *Regi Galliæ a conſiliis medicis, in Acad. Taurin. Medicin. Prof. Primar.*

Baro Antonius Storck, *Sacr. Cæſar. Reg. Apoſtol. Majeſtat. Archiater.*

Joſephus Maria Franciſcus de Laſſone, *Regi Galliæ a conſiliis et Archiater, Societat. Reg. Medic. Pariſ. Præſes.*

Joannes Rogerſon, *Sacr. Cæſar. Majeſtat. Ruſſiæ Archiater.*

Joannes

Joannes Georgius Zimmerman, *Magnæ Britanniæ Regis in Electorat. Hanover. Archiater.*

Petrus Camper, *in Atheneo Amſtelaedam. Prof. Medicin. Honorarius.*

HONORARIUS ex Officio.

Jacobus Flint, *in Acad. Andreapol. Medicin. Prof. Chandoſſ.*

PERMISSI.

David Spence.

Carolus Webſter.

Carolus Stewart.

LEC-

LECTORI S.

QUANTUM Pharmacopœia noſtra, ultima ejus editione, aucta atque emendata fuerit, dicere, hujus haud eſt loci. Ante vero quam prelo denuo ſubjiceretur, totam, qua potuerimus cura et diligentia, retractavimus et caſtigavimus.

In hac igitur, ſeptima, ejus editione, pauca quæ in priore occurrunt reſecuimus, nonnulla adjecimus, plura emendavimus. Remediorum quorundam compoſitorum nomina cum aliis commutavimus, quæ veram eorum naturam et partes præcipuas planius et accuratius deſignarent.

ſignarent. Menſuris demum prorſus repudiatis, omnia medicamenta pondere ſolo definivimus, diligentiſſime tamen caventes ne inde vis compoſitorum, quæ ſimplicia valentiora habent, aut augeatur aut minuatur.

Datum EDINBURGI, *ex ædibus Collegii, die Novembris octavo*, 1782.

PON-

PONDERUM RATIO.

Cum haud levis in re medicamentaria ſæpe oriatur error ex promiſcuo menſurarum et ponderum diverſi valoris uſu, hic diligenter notari volumus, quod omnia medicamenta, ſive ſolida fuerint ſive fluida, ad trutinam revocare decrevimus, iſto tantum ponderum genere in poſterum uſuri lingua vernacula vocato *Troy weight*, quod in hunc modum dividimus.

Libra	valet	uncias duodecim.
Uncia	valet	drachmas octo.
Drachma	valet	ſcrupulos tres.
Scrupulus	valet	grana viginti.

ORDO

ORDO CAPITUM.

	Pag.
Materia Medica, -	1
Præparata et composita,	69
Simplicium Præparationes,	71
Conservæ, -	79
Succi, - -	81
Succi Spissati, - -	82
Olea Expressa, -	85
Emulsiones, - -	86
Infusa, - -	87
Decocta, - -	93
Vina, - -	97
Aceta, - -	102
Tincturæ, - -	103
Extracta, - -	128
Aquæ Stillatitiæ Simplices, - -	131

Aquæ

	Pag.
Aquæ Stillatitiæ Spirituosæ, -	133
Spiritus Stillatitii,	135
Olea Stillatitia, -	137
Oleosa, - -	142
Sales et Salina, -	143
Metallica, - -	168
Syrupi, - -	190
Pulveres, - -	201
Electuaria, - -	205
Pilulæ, - -	210
Trochisci, - -	219
Linimenta, Unguenta, et Cerata, -	223
Emplastra, - -	229

MA-

MATERIA MEDICA;

SIVE,

CATALOGUS MEDICAMENTORUM SIMPLICIUM ET QUORUNDAM PRÆPARATORUM, QUÆ A PHARMACOPOEO IPSO NON PRÆPARANTUR, SED IN OFFICINA EJUS SEMPER PRÆSTO ESSE DEBENT.

MATERIA MEDICA.

ABROTANUM. In uſu eſt *Herba.*
Artemiſia (*Abrotanum*) *foliis ramoſiſſimis ſetaceis, caule erecto ſuffruticoſo.* Linnæi Species Plantarum, Edit. 1762, pag. 1185.

Abſinthium. In uſu ſunt *Folia, et Summitates florentes.*
Artemiſia (*Abſinthium*) *foliis compoſitis multifidis, floribus ſubgloboſis pendulis: receptaculo villoſo.*
Linn. Sp. Pl. p. 1188.

Acetoſa. *Folia.*

 Rumex

Rumex (*Acetoſa*) *floribus dioicis, foliis oblongis ſagittatis.*
L. Sp. Pl. 481.

Acetum vini.

Acidum vitriolicum.

Aconitum. *Folia.*
Aconitum (*Napellus*) *foliorum laciniis linearibus ſuperne latioribus linea exaratis.* L. Sp. Pl. 751.

Acorus. *Radix.*
Calamus aromaticus.
Acorus (*Calamus*). *Varietas* α.
L. Sp. Pl. 462.

Ærugo.

Agaricus.

Agaricus.

Boletus (igniarius) acaulis pulvinatus lævis, poris tenuiſſimis.
L. Sp. Pl. 1645.

Allium. *Radix.*

Allium (ſativum) caule planifolio bulbifero, bulbo compoſito, ſtaminibus tricuſpidatis. L. Sp. Pl. 425.

Aloe hepatica. *Gummi Reſina.*

Aloe (perfoliata) floribus pedunculatis cernuis corymboſis ſubcylindricis. Var. vera. foliis ſpinoſis confertis dentatis vaginantibus planis maculatis. L. Sp. Pl. 458.

Aloe Socotorina. *Gummi Reſina.*

Aloe (perfoliata) floribus peduncula-

tis cernuis corymboſis ſubcylindricis. Var. ξ. Aloe Succotrina anguſti-folia ſpinoſa, flore purpureo. Com. hort. 1. p. 9. t. 48.
L. Sp. Pl. 458.

Althæa. *Radix.*
Althæa (*officinalis*) *foliis ſimplicibus tomentoſis.* L. Sp. Pl. 966.

Alumen.

Amygdalæ amaræ. *Semen.*
Amygdalus (*communis*) *foliis ſerraturis infimis glanduloſis, floribus ſeſſilibus geminis. Var. γ. Amygdalus amara.* Tournef. inſt. 627. L. Sp. Pl. 677.

Amygdalæ

Amygdalæ dulces. *Semen.*
Amygdalus (*communis*) *foliis ſerraturis infimis glanduloſis, floribus ſeſſilibus geminis. Var.* β. *Amygdalus ſativa.* Bauh. pin. 441. L. Sp. Pl. 677.

Anchuſa. *Radix.*
Anchuſa (*tinctoria*) *tomentoſa, foliis lanceolatis obtuſis, ſtaminibus corolla brevioribus.* L. Sp. Pl. 192.

Anethum. *Semen.*
Anethum (*graveolens*) *fructibus compreſſis.* L. Sp. Pl. 377.

Angelica ſativa. *Radix, Folia, Semen.*
Angelica (*Archangelica*) *foliorum impari lobato.* L. Sp. Pl. 360.

Angelica ſylveſtris. *Radix.*
Angelica (ſylveſtris) foliis æqualibus ovato-lanceolatis ſerratis.
L. Sp. Pl. 361.

Aniſum. *Semen.*
Pimpinella (Aniſum) foliis radicalibus trifidis inciſis. L. Sp. Pl. 379.

Antimonium.
Stibium.

Aqua ſtillatitia florum Aurantiorum Hiſpalenſium.

Ariſtolochia tenuis. *Radix.*
Ariſtolochia (clematitis) foliis cordatis, caule erecto, floribus axillaribus confertis. L. Sp. Pl. 1364.

Arnica. *Flores, Radix.*

Arnica (*montana*) *foliis ovatis integris: caulinis geminis oppoſitis.* L. Sp. Pl. 1245.

Artemiſia. *Folia.*

Artemiſia (*vulgaris*) *foliis pinnatifidis planis inciſis ſubtus tomentoſis, racemis ſimplicibus recurvatis, floribus radio quinquefloro.* Linnæi Syſtema Naturæ, Edit. 1774, pag. 619.

Arum. *Radix.*

Arum (*maculatum*) *acaule, foliis haſtatis integerrimis, ſpadice clavato.* L. Sp. Pl. 1370.

Aſa fœtida. *Gummi Reſina.*

Planta,

Planta, quæ hanc Gummi Reſinam præbet, æſtate proxima, in horto Botanico Edinenſi pulchre floruit, et ſemina plurima tulit: Deſcriptio ejus, cum icone, mox proditura eſt.

Aſarum. *Folia.*
Aſarum (Europæum) foliis reniformibus obtuſis binis. L. Sp. Pl. 633.

Atriplex fœtida. *Herba.*
Chenopodium (vulvaria) foliis integerrimis rhombeo-ovatis, floribus conglomeratis axillaribus.
L. Sp. Pl. 321.

Aurantium Hiſpalenſe. *Folia, Flores, fructus ſuccus, et cortex exterior.*

Citrus

Citrus (*Aurantium*) *petiolis alatis.* L. Sp. Pl. 1100.

Axungia porcina.
Sus (*ſcrofa*) *dorſo antice ſetoſo, cauda piloſa.* L. S. A. Edit. 12. p. 102.

Balauſtia. *Vide* Granata malus.

Balſamum Canadenſe.
Pinus (*Balſamea*) *foliis ſolitariis ſubemarginatis: ſubtus linea duplici punctata.* L. Sp. Pl. 1421.

Balſamum Copaibæ.
Copaifera (*officinalis*). L. S. N. 341.

Balſamum Gileadenſe.

Amyris

Amyris (*Gileadenſis*) *foliis ternatis integerrimis, pedunculis unifloris lateralibus.* L. S. N. 299.

Balſamum Peruvianum.
Myroxylon (*perniferum*). Lin. Fil. Supplement. Plant. 1781, p. 233.

Balſamum Tolutanum.
Toluifera (*Balſamum*).
L. Sp. Pl. 549.

Bardana. *Radix.*
Arctium (*lappa*) *foliis cordatis inermibus petiolatis.* L. Sp. Pl. 1143.

Belladonna. *Folia.*
Solanum lethale.

Atropa (*Belladonna*) *caule herbaceo, foliis ovatis integris.*
L. Sp. Pl. 260.

Benzoinum. *Reſina.*
Terminalia (*Benzoin*) *foliis lanceolatis.* L. Supp. Pl. 434.

Biſtorta. *Radix.*
Polygonum (*Biſtorta*) *caule ſimpliciſſimo monoſtachyo, foliis ovatis in petiolum decurrentibus.*
L. Sp. Pl. 516.

Bolus Gallica.

Borax.

Bryonia. *Radix.*

Bryonia

Bryonia (alba) foliis palmatis utrinque calloſo-ſcabris. L. Sp. Pl. 1438.

Calamus aromaticus. *Vide* Acorus.

Calx viva.

Camphora.
Laurus (Camphora) foliis triplinerviis lanceolato-ovatis.
L. Sp. Pl. 528.

Canella alba. *Cortex.*
Winterania Canella. L. Suppl. p. 247.
Canella foliis oblongis obtuſis nitidis, racemis terminalibus. Brown Jamaic. 275.

Cantharides.

Meloe

Meloe (veſicatorius) alatus viridiſſimus nitens, antennis nigris.
L. S. N. 679.

Cardamine. *Petala, Folia.*
Cardamine (pratenſis) foliis pinnatis: foliolis radicalibus ſubrotundis: caulinis lanceolatis.
L. Sp. Pl. 915.

Cardamomum minus. *Semen decorticatum.*
Amomum (Cardamomum) ſcapo ſimpliciſſimo breviſſimo, bracteis alternis laxis. L. Sp. Pl. 2.

Carduus benedictus. *Herba.*
Centaurea (benedicta) calycibus duplicato ſpinoſis lanatis involucratis,

tis, foliis ſemidecurrentibus denticulato-ſpinoſis. L. Sp. Pl. 1296.

Carica. *Fructus.*
Ficus (Carica) foliis palmatis.
L. Sp. Pl. 1513.

Carvi. *Semen.*
Carum (Carvi). L. Sp. Pl. 378.

Caryophylla aromatica. *Fructus.*
Caryophyllus (aromaticus).
L. Sp. Pl. 735.

Caryophylla rubra. *Flores.*
Dianthus (Caryophyllus) floribus ſolitariis: ſquamis calycinis ſubovatis breviſſimis, corollis crenatis.
L. Sp. Pl. 587.

Caſcarilla. *Cortex.*
Croton (Caſcarilla) foliis lanceolatis acutis integerrimis petiolatis ſubtus tomentoſis, caule arboreo.
L. Sp. Pl. 1424.

Caſſia fiſtularis. *Fructus pulpa.*
Caſſia (fiſtula) foliis quinquejugis ovatis acuminatis glabris, petiolis eglandulatis. L. Sp. Pl. 540.

Caſſia lignea.
Laurus (Caſſia) foliis triplinerviis lanceolatis. L. Sp. Pl. 528.

Caſtoreum.
Caſtor (Fiber) cauda ovata plana.
L. S. N. 78.

Centaurium minus. *Summitates florentes.*

Gentiana (Centaurium) corollis quinqueſidis infundibuliformibus, caule dichotomo. L. Sp. Pl. 332.

Cera alba et flava.

Ceruſſa.

Chamæmelum. *Herba et Flores.*

Anthemis (nobilis) foliis pinnato-compoſitis linearibus acutis ſubvilloſis. L. Sp. Pl. 1260.

Cicuta. *Folia, Semen.*

Conium (maculatum) ſeminibus ſtriatis. L. Sp. Pl. 349.

Cinara hortenſis. *Folia.*

Cynara

Cynara (*Scolymus*) *foliis ſubſpinoſis pinnatis indiviſiſque, calycinis ſquamis ovatis. Var.* γ. *Cinara hortenſis, foliis non aculeatis.* Bauh. pin. 383.

L. Sp. Pl. 1159.

Cinnabaris factitia.

Cinnamomum. *Cortex et ejus oleum ſtillatitium.*

Laurus (*Cinnamomum*) *foliis trinerviis ovato-oblongis, nervis verſus apicem evaneſcentibus.*

L. Sp. Pl. 528.

Cochinilla.

Coccus (*cacti*) *cacti coccinelliferi.*

L. S. N. 742.

Cochlearia. *Herba.*

Cochlearia (officinalis) foliis radicalibus ſubrotundis, caulinis oblongis ſubſinuatis. L. Sp. Pl. 903.

Colchicum. *Radix.*

Colchicum (autumnale) foliis planis lanceolatis erectis. L. Sp. Pl. 485.

Colocynthis. *Fructus, cortice ſeminibuſque abjectis.*

Cucumis (Colocynthis) foliis multifidis, pomis globoſis glabris. L. Sp. Pl. 1435.

Colomba. *Radix.*

Contrayerva. *Radix.* *Dorſtenia.*

Dorſtenia. Dentariæ radice, ſphondylii folio, placenta ovali. Act. Anglic. vol. 37. p. 195. fig. 1.

Convallaria. *Radix.*
Sigillum Solomonis.
Convallaria (Polygonatum) foliis alternis amplexicaulibus, caule ancipiti, pedunculis axillaribus ſubuniſloris. L. Sp. Pl. 451.

Coriandrum. *Semen.*
Coriandrum (ſativum) fructibus globoſis. L. Sp. Pl. 367.

Cortex Peruvianus.
Cinchona (officinalis) panicula brachiata. L. Sp. Pl. 244.

Cubebæ. *Fructus.*

Piper (Cubeba) foliis oblique ovatis, ſ. oblongis venoſis acutis, ſpica ſolitaria pedunculata oppoſitifolia, fructibus pedicellatis.

Lin. Suppl. Plant. 90.

Cuminum. *Semen.*

Cuminum (Cyminum). L. Sp. Pl. 365.

Curcuma. *Radix.*

Curcuma (longa) foliis lanceolatis: nervis lateralibus numeroſiſſimis.

L. Sp. Pl. 3.

Curſuta. *Radix.*

Cydonia mala, et eorum ſemina.

Pyrus.

Pyrus (Cydonia) foliis integerrimis, floribus ſolitariis. L. Sp. Pl. 687.

Daucus ſylveſtris. *Semen.*
Daucus (Carota) ſeminibus hiſpidis, petiolis ſubtus nervoſis.
L. Sp. Pl. 348.

Dens leonis. *vide* Taraxacum.

Dictamnus albus. *Radix.*
Dictamnus (albus). L. Sp. Pl. 548.

Digitalis purpurea. *Folia.*
Digitalis (purpurea) calycinis foliolis ovatis acutis, corollis obtuſis: labio ſuperiore integro.
L. Sp. Pl. 866.

Dolichos. *Pubes leguminis rigida.*
Dolichos (pruriens) volubilis, leguminibus racemoſis hirtis: valvulis ſubcarinatis, pedunculis ternis.
L. Sp. Pl. 1019.

Dulcamara. *Stipites.*
Solanum (Dulcamara) caule inermi fruteſcente flexuoſo, foliis ſuperioribus haſtatis, racemis cymoſis.
L. Sp. Pl. 264.

Elaterium. *Fructus ſucci fæcula.*
Momordica (Elaterium) pomis hiſpidis, cirrhis nullis. L. Sp. Pl. 1434.

Enula campana. *vide* Helenium.

Filix mas. *Radix.*
Polypodium

Polypodium (*Filix mas*) *frondibus bipinnatis : pinnis obtuſis crenulatis, ſtipite paleaceo.* L. Sp. Pl. 1551.

Flammula Jovis. *Folia, Flores.*
Clematis (*recta*) *foliis pinnatis : foliolis ovato-lanceolatis integerrimis, caule erecto, floribus pentapetalis tetrapetaliſque.*
L. Sp. Pl. 767.

Fœniculum dulce. *Semen.*
Anethum (*Fœniculum*) *fructibus ovatis.* L. Sp. Pl. 377.

Fœniculum vulgare. *Radix.*
Anethum (*Fœniculum*) *fructibus ovatis. Var.* β. L. Sp. Pl. 377.

Fœnum

Fœnum Græcum. *Semen.*
Trigonella (Fœnum Græcum) leguminibus ſeſſilibus ſtrictis erectiuſculis ſubfalcatis acuminatis, caule erecto. L. Sp. Pl. 1095.

Fuligo ligni.

Fumaria. *Herba.*
Fumaria (officinalis) pericarpiis monoſpermis racemoſis, caule diffuſo. L. Sp. Pl. 984.

Galbanum.
Bubon (Galbanum) foliolis rhombeis dentatis glabris ſtriatis, umbellis paucis. L. Sp. Pl. 364.

Gallæ.

Gallæ. *Cynipidis nidi.*

Robur 3. *Quercus, Cerrus.*

Cluſ. hiſtor. 1. p. 18.

Gambogia. *Gummi Reſina.*

Cambogia (*gutta*). L. Sp. Pl. 728.

Geniſta. *Summitates.*

Spartium (*ſcoparium*) *foliis ternatis ſolitariiſque, ramis inermibus angulatis.* L. Sp. Pl. 996.

Gentiana. *Radix.*

Gentiana (*lutea*) *corollis ſubquinquefidis rotatis verticillatis, calycibus ſpathaceis.* L. Syſt. Nat. 221.

Geoffræa. *Cortex.*

lingua vernacula, Cabbage-bark.

Geoffræa

Geoffræa (inermis).
Act. Anglic. vol. 67. p. 507. tab. x.

Ginſeng. *Radix.*
Panax (quinquefolium) foliis ternis quinatis. L. Sp. Pl. 1512.

Glycyrrhiza. *Radix.*
Glycyrrhiza (glabra) leguminibus glabris, ſtipulis nullis, foliolo impari petiolato. L. S. N. 557.

Granata malus. *Cortex, fructus, Flores pleni Balauſtia dicti.*
Punica (Granatum) foliis lanceolatis, caule arboreo. Var. β. L. Sp. Pl. 676.

Gratiola.

Gratiola. *Herba.*

Gratiola (*officinalis*) *floribus pedunculatis, ſoliis lanceolatis ſerratis.* L. Sp. Pl. 24.

Guajacum. *Lignum, Gummi.*

Guajacum (*officinale*) *foliolis bijugis obtuſis.* L. Sp. Pl. 546.

Gummi Ammoniacum.

Gummi Arabicum.

Mimoſa (*nilotica*) *ſpinis ſtipularibus patentibus, foliis bipinnatis: partialibus extimis glandula interſtinctis, ſpicis globoſis pedunculatis.* L. Sp. Pl. 1506.

Gummi tragacantha.

Aſtragalus

Aſtragalus (tragacantha) caudice arboreſcente, petiolis ſpineſcentibus. L. Sp. Pl. 1073.

Hedera terreſtris. *Herba.*
Glechoma (hederacea) foliis reniformibus crenatis. L. Sp. Pl. 807.

Helenium. *Radix.*
Enula Campana.
Inula (Helenium) foliis amplexicaulibus ovatis rugoſis: ſubtus tomentoſis, calycum ſquamis ovatis. L. Sp. Pl. 1236.

Helleborus albus. *vide* Veratrum.

Helleborus niger. *vide* Melampodium.

Hyppocaſtanum.

Hippocaſtanum. *Fructus.*
Æſculus (Hippocaſtanum) floribus heptandris. L. Sp. Pl. 488.

Hydrargyrus.
Argentum vivum.
Mercurius.

Hydrolapathum. *Radix.*
Rumex (aquaticus) floribus hermaphroditis: valvulis integerrimis nudis, foliis cordatis glabris acutis. L. S. N. 285.

Hyoſcyamus. *Herba, Semen.*
Hyoſcyamus (niger) foliis amplexicaulibus ſinuatis, floribus ſeſſilibus. L. Sp. Pl. 257.

Hyſſopus. *Herba.*

Hyſſopus (officinalis) ſpicis ſecundis, foliis lanceolatis. L. S. N. 441.

Jalapa. *Radix.*

Convolvulus (Jalapa) foliis difformibus: cordatis angulatis oblongis lanceolatiſque, caule volubili, pedunculis unifloris. L. S. N. 169.

Imperatoria. *Radix.*

Imperatoria (oſtruthium). L. Sp. Pl. 371.

Ipecacuanha. *Radix.*

Pſychotria (emetica) herbacea, procumbens, foliis lanceolatis glabris, ſtipulis extrafoleaceis ſubulatis, capitulis

pitulis axillaribus pedunculatis pauciſloris. L. Suppl. 144.

Iris Florentina. *Radix.*
Iris (Florentina) corollis barbatis, caule foliis altiore ſubbifloro, floribus ſeſſilibus. L. Sp. Pl. 55.

Iris paluſtris. *Radix.*
Iris (Pſeudacorus) corollis imberbibus: petalis interioribus ſtigmate minoribus, foliis enſiformibus. L. Sp. Pl. 56.

Juniperus. *Baccæ.*
Juniperus (communis) foliis ternis patentibus mucronatis bacca longioribus. L. Sp. Pl. 1470.

Kino. *Gummi.*

Gummi rubrum aſtringens Gambienſe.
Lond. Med. Obſ. vol. I. art. xxviii.

Lapis calaminaris.

Lavendula. *Spicæ florentes.*

Lavandula (*ſpica*) *foliis lanceolatis integerrimis, ſpicis nudis.*
L. Sp. Pl. 800.

Laurus. *Folia, Baccæ, baccarum oleum expreſſum.*

Laurus (*nobilis*) *foliis lanceolatis venoſis perennantibus, floribus quadrifidis.* L. S. N. 317.

Lichen. *Herba.*

Lichen (*Iſlandicus*) *foliaceus adſcendens*

dens laciniatus: marginibus elevatis ciliatis. L. Sp. Pl. 1611.

Lignum Campechenſe.
Hæmatoxylum (Campechianum).
L. Sp. Pl. 549.

Liguſticum. *Semen.*
Leviſticum.
Liguſticum (Leviſticum) foliis multiplicibus: foliolis ſuperne inciſis.
L. Sp. Pl. 359.

Lilium album. *Radix.*
Lilium (candidum) foliis ſparſis, corollis campanulatis: intus glabris.
L. Sp. Pl. 433.

Limonia mala. *Fructus, Cortex fructus, et ejus oleum vulgo Eſſentia dicta.*

Citrus (Medica) petiolis linearibus.
Var. β. Limon.
L. Sp. Pl. 1100.

Linum. *Semen, Oleum e ſeminibus expreſſum.*
Linum (uſitatiſſimum) calycibus capſuliſque mucronatis, petalis crenatis, foliis lanceolatis alternis, caule ſubſolitario. L. Sp. Pl. 397.

Lithargyrus.

Lobelia. *Radix.*
Lobelia (ſiphilitica) caule erecto, foliis ovato-lanceolatis crenatis, calycum ſinubus reflexis.
L. Sp. Pl. 1320.

Majorana. *Herba.*

Origanum (Majorana) foliis ovatis obtuſis, ſpicis ſubrotundis compactis pubeſcentibus. L. S. N. 452.

Malva. *Herba, Flores.*

Malva (ſilveſtris) caule erecto herbaceo, foliis ſeptemlobatis acutis, pedunculis petioliſque piloſis. L. Sp. Pl. 969.

Manna. *Succus concretus.*

Fraxinus (ornus) foliolis ſerratis, floribus corollatis. L. Sp. Pl. 1510.

Marrubium. *Herba.*

Marrubium (vulgare) dentibus calycinis ſetaceis uncinatis. L. Sp. Pl. 816.

Mars ſaccharatus.

Maſtiche. *Reſina.*
Piſtacia (Lentiſcus) foliis abrupte pinnatis: foliolis lanceolatis.
L. Sp. Pl. 1455.

Melampodium. *Radix.*
Helleborus niger.
Helleborus (niger) ſcapo ſubbifloro ſubnudo, foliis pedatis.
L. S. N. 431.

Meliſſa. *Folia.*
Meliſſa (officinalis) racemis axillaribus verticillatis: pedicellis ſimplicibus. L. Sp. Pl. 827.

Mentha piperitis. *Herba.*

Mentha (piperita) floribus capitatis, foliis ovatis petiolatis, ſtaminibus corolla brevioribus. L.S.N. 444.

Mentha ſativa. *Herba.*
Mentha (viridis) ſpicis oblongis, foliis lanceolatis nudis ſerratis ſeſſilibus, ſtaminibus corolla longioribus. L. Sp. Pl. 804.

Menyanthes. *Folia.*
Trifolium paluſtre.
Menyanthes (trifoliata) foliis ternatis. L. Sp. Pl. 208.

Mezereon. *Radicis cortex.*
Daphne (Mezereum) floribus ſeſſilibus ternis caulinis, foliis lanceolatis deciduis. L. Sp. Pl. 509.

Millefolium. *Folia, Flores.*

Achillea (Milleſolium) foliis bipinnatis nudis: laciniis linearibus dentatis, caulibus ſulcatis.

L. Sp. Pl. 1267.

Millepedæ.

Oniſcus (aſellus) ovalis, cauda obtuſa, ſtylis ſimplicibus.

L. S. Animal. 1061.

Moſchus.

Moſchus (Moſchiferus) folliculo umbilicali. L. S. Animal. 91.

Myrrha. *Gummi Reſina.*

Naſturtium aquaticum. *Herba.*

Siſymbrium

Siſymbrium (Naſturtium aquaticum) ſiliquis declinatis, foliis pinnatis: foliolis ſubcordatis.

L. Sp. Pl. 916.

Nitrum.

Nux Moſchata.

Myriſtica (officinalis).

L. Suppl. 265.

Oculi cancrorum dicti.

Cancer (aſtacus) macrourus, thorace lævi, roſtro lateribus dentato: baſi utrinque dente unico.

L. S. Animal. 1051.

Oleum ſtillatitium Caryophyllorum aromaticorum.

Cinnamomi.

Oleum

Oleum ſtillatitium Corticis limonum
vulgo *Eſſentia.*
Florum aurantiorum
Hiſpalenſium.
Terebinthinæ.

Oleum expreſſum Baccarum lauri.
Seminum lini.
Nucis moſchatæ,
oleum macis
vulgo dict.
Olivarum.
Palmæ.
Seminum ricini.

Olibanum. *Gummi Reſina.*
Juniperus (Lycia) foliis ternis undique imbricatis ovatis obtuſis.
L. Sp. Pl. 1471.
Oliva.

Oliva. *Fructus oleum expreſſum.*
Olea (Europæa) foliis lanceolatis.
L. Sp. Pl. 11.

Opium. *Succus inſpiſſatus.*
Papaver (ſomniferum) calycibus capſuliſque glabris, foliis amplexicaulibus inciſis. L. Sp. Pl. 726.

Palma. *Fructus oleum expreſſum.*
Palma foliorum pediculis ſpinoſis, fructu pruniformi luteo oleoſo.
Sloane Jamaic. Adanſon Seneg.

Parietaria. *Herba.*
Parietaria (officinalis) foliis lanceolato-ovatis, pedunculis dichotomis, calycibus diphyllis.
L. S. N. 763.

Petroleum

Petroleum Barbadenſe.

Petroſelinum. *Radix.*

Apium (Petroſelinum) foliolis caulinis linearibus, involucellis minutis.

L. Sp. Pl. 379.

Pimenta. *Fructus.*

Piper Jamaicenſe.

Myrtus (Pimenta) foliis alternis.

L. S. N. 385.

Pimpinella. *Radix.*

Pimpinella (Saxifraga) foliis pinnatis: foliolis radicalibus ſubrotundis; ſummis linearibus.

L. Sp. Pl. 378.

Piper Jamaicenſe. *vide* Pimenta.

Piper

Piper Indicum. *Fructus.*

Capſicum (annuum) caule herbaceo, pedunculis ſolitariis. L. Sp. Pl. 270.

Piper longum. *Fructus.*

Piper (longum) foliis cordatis petiolatis ſeſſilibuſque. L. Sp. Pl. 41.

Piper nigrum. *Fructus.*

Piper (nigrum) foliis ovatis ſubſeptemnerviis glabris, petiolis ſimpliciſſimis. L. Sp. Pl. 40.

Pix Burgundica.

Pinus (abies) foliis ſolitariis ſubulatis mucronatis lævibus biſariam verſis. L. Sp. Pl. 1421.

Pix

Pix liquida.

Pinus (ſylveſtris) foliis geminis: primordialibus ſolitariis glabris. L. Sp. Pl. 1418.

Et

Pinus (abies) foliis ſolitariis ſubulatis mucronatis lævibus bifariam verſis. L. Sp. Pl. 1421.

Plantago. *Folia.*

Plantago (major) foliis ovatis glabris, ſcapo tereti, ſpica floſculis imbricatis. L. Sp. Pl. 163.

Pulegium. *Herba.*

Mentha (Pulegium) floribus verticillatis, foliis ovatis obtuſis ſubcrenatis, caulibus ſubteretibus repentibus,

pentibus, ſtaminibus corolla longioribus. L. Sp. Pl. 807.

Pulſatilla nigricans. *Herba cum floribus.*

Anemone (pratenſis) pedunculo involucrato, petalis apice reflexis, foliis bipinnatis. L. Sp. Pl. 760.

Pyrethrum. *Radix.*

Anthemis (Pyrethrum) caulibus ſimplicibus unifloris decumbentibus, foliis pinnato-multifidis.

L. Sp. Pl. 1262.

Quaſſia. *Lignum.*

Quaſſia (amara) floribus hermaphroditis, foliis impari pinnatis: foliolis oppoſitis

oppoſitis ſeſſilibus, petiolo articulato alato, floribus racemoſis.

L. Suppl. 235.

Quercus. *Cortex.*

Quercus (*Robur*) *foliis deciduis oblongis ſuperne latioribus: ſinubus acutioribus: angulis obtuſis.*

L. Sp. Pl. 1414.

Radix Indica Lopeziana.

Raphanus ruſticanus. *Radix.*

Cochlearia (*Armoracia*) *foliis radicalibus lanceolatis crenatis, caulinis inciſis.* L. Sp. Pl. 904.

Reſina alba.

Pinus

Pinus (*ſylveſtris*) *foliis geminis: primordialibus ſolitariis glabris.*
L. Sp. Pl. 1418.

Et

Pinus (*abies*) *foliis ſolitariis ſubulatis mucronatis lævibus bifariam verſis.* L. Sp. Pl. 1421.

Ricinus. *Semen et ejus oleum.*

Ricinus (*communis*) *foliis peltatis ſubpalmatis ſerratis.* L. Sp. Pl. 1430.

Rhamnus catharticus. *Baccarum ſuccus.*

Spina cervina.

Rhamnus (*catharticus*) *ſpinis terminalibus, floribus quadrifidis dioicis, foliis ovatis, caule erecto.*
L. S. N. 194.

D Rheum.

Rheum. *Radix.*

Rhabarbarum.

α Rheum Turcicum.

Rheum (*palmatum*) *foliis palmatis acuminatis.* L. S. N. 319.

β Rheum Sinenſe.

Rhododendron (*Chryſanthemum*) *foliis oblongis inpunctatis ſupra ſcabris venoſiſſimis, corolla rotata irregulari, gemma floriſera ferrugineo-tomentoſa.* L. Suppl. 237.

Roſa pallida. *Petala.*

Roſa Damaſcena Parkinſon.

Roſa rubra. *Petala.*

Roſa (*Gallica*) *germinibus ovatis pedunculiſque*

pedunculiſque hiſpidis, caule petioliſque hiſpido-aculeatis.

L. Sp. Pl. 704.

Roſmarinus. *Summitates florentes.*

Roſmarinus (officinalis).

L. Sp. Pl. 33.

Rubia. *Radix.*

Rubia (tinctorum) foliis annuis, caule aculeato. L. S. N. 128.

Ruta. *Herba.*

Ruta (graveolens) foliis decompoſitis, floribus lateralibus quadrifidis.

L. S. N. 331.

Sabina. *Folia.*

Juniperus (Sabina) foliis oppoſitis e-

 rectis

rectis decurrentibus: oppoſitionibus pyxidatis. L. Sp. Pl. 1472.

Sagapenum. *Gummi Reſina.*

Sal alkalinus fixus vegetabilis, præſertim is qui *Pearl-aſhes* lingua vernacula dicitur.

Sal alkalinus fixus foſſilis, vulgo ſal ſodæ ex herba kali uſta.

Sal Ammoniacus.

Sal catharticus amarus.

Sal cornu cervi, *i. e.* Sal alcalinus volatilis, ſiccus, ex oſſibus vel cornibus

nibus animalium igne paratus, ab oleo purificatus.

Sal marinus Hiſpanus.

Salix. *Ramulorum cortex.*

Salix (fragilis) foliis ſerratis glabris ovato-lanceolatis, petiolis dentato-glanduloſis. L. Sp. Pl. 1443.

Salvia. *Folia.*

Salvia (officinalis) foliis lanceolato-ovatis integris crenulatis, floribus ſpicatis, calycibus acutis. L. Sp. Pl. 34.

Sambucus. *Flores, Baccæ, Cortex.*

Sambucus (nigra) cymis quinquepartitis, caule arboreo. L. Sp. Pl. 385.

Sanguis Draconis dict. *Gummi Reſina.*
Calamus, var. ϑ. *Palmijuncus Draco.*
Rumph. Amb. lib. 7. t. 58. f. 1.
L. Sp. Pl. 463.

Santalum citrinum. *Lignum.*
Santalum (album). L. Sp. Pl. 497.

Santalum rubrum. *Lignum.*
Pterocarpus (Santolinus) foliis ternatis ſubrotundis retuſis glaberrimis, petalis crenatis undulatis.
L. Suppl. 318.

Santonicum.
Artemiſia (Auſtriaca). J. Jacquin Flora Auſtriaca, p. 62. t. 100.

Sapo

Sapo albus Hiſpanus.

Sarſaparilla. *Radix.*
Smilax (Sarſaparilla) caule aculeato angulato, foliis inermibus ovatis retuſo-mucronatis trinerviis.
L. Sp. Pl. 1459.

Saſſafras. *Lignum ejuſque cortex.*
Laurus (Saſſafras) foliis integris tri-lobiſque. L. Sp. Pl. 530.

Satyrion. *Radix.*
Orchis (maſcula) bulbis indiviſis, nectarii labio quadrilobo crenulato: cornu obtuſo, petalis dorſalibus reflexis. L. Sp. Pl. 1333.

Scammonium. *Gummi Reſina.*

 Convolvulus

Convolvulus (Scammonia) foliis ſagittatis poſtice truncatis, pedunculis teretibus ſubtrifloris.
L. Sp. Pl. 218.

Scilla. *Radix.*
Scilla (maritima) nudiflora, bracteis refractis. L. Sp. Pl. 442.

Scolopendrium. *Herba.*
Lingua cervina.
Aſplenium (Scolopendrium) frondibus ſimplicibus cordato-lingulatis integerrimis, ſtipitibus hirſutis.
L. Sp. Pl. 1537.

Scordium. *Herba.*
Teucrium (Scordium) foliis oblongis ſeſſilibus dentato-ſerratis, floribus geminis

geminis axillaribus pedunculatis, caule diffuſo. L. S. N. 440.

Seneka. *Radix.*

Polygala (Senega) floribus imberbibus ſpicatis, caule erecto herbaceo ſimpliciſſimo, foliis lato-lanceolatis. L. Sp. Pl. 990.

Senna. *Folia.*

Caſſia (Senna) foliis trijugis quadrijugiſque ſubovatis. L. Sp. Pl. 539.

Serpentaria Virginiana. *Radix.*

Ariſtolochia (Serpentaria) foliis cordato-oblongis planis, caulibus infirmis ſuperne flexuoſis teretibus, floribus ſolitariis. L. Sp. Pl. 1363.

Serpyllum.

Serpyllum. *Summitates florentes.*
Thymus (Serpyllum) floribus capitatis, caulibus repentibus, foliis planis obtuſis baſi ciliatis.
L. S. N. 452.

Sigillum Solomonis. *vide* Convallaria.

Simarouba. *Cortex.*
Quaſſia (Simaruba) floribus monoicis, foliis abrupte pinnatis: foliolis alternis ſubpetiolatis, petiolo nudo, floribus paniculatis.
L. Suppl. 234.

Sinapi album. *Semen.*
Sinapis (alba) ſiliquis hiſpidis: roſtro obliquo longiſſimo.
L. Sp. Pl. 933.

Solanum

Solanum lethale. *vide* Belladonna.

Sperma ceti dictum.
Phyſeter (*macrocephalus*) *dorſo impinni, fiſtula in cervice.*
L. S. N. 107.

Spigelia. *Radix.*
Lingua vernacula Indian Pink.
Spigelia (*Marilandica*) *caule tetragono, foliis omnibus oppoſitis.*
L. S. N. 166.

Spina cervina. *vide* Rhamnus catharticus.

Spiritus cornu cervi, hoc eſt, Salis alcalini volatilis ex oſſibus vel cornibus animalium parati, portio volatilior

volatilior liquida bene rectificata ut decolor ſit.

Spiritus vinoſus rectificatus; *ſive, Spiritus deſtillatus ex vino vel aliis liquoribus fermentatis, ab odore ingrato purificatus, cujus libra menſura ſit ponderis unciarum tredecim.*

Spiritus vinoſus tenuior; *ſive, Spiritus rectificatus cui immixta fuerit aquæ pars æqua, qualem lingua vernacula vocamus* Proof-ſpirit.

Stanni limatura et pulvis.

Stramonium. *Herba.*
Datura (Stramonium) pericarpiis ſpinoſis

noſis erectis ovatis, foliis ovatis glabris. L. Sp. Pl. 255.

Styrax calamita. *Reſina.*
Styrax (*officinale*). L. Sp. Pl. 635.

Succinum.

Sulphuris flores.

Tamarindus. *Fructus.*
Tamarindus (*Indica*).
L. Sp. Pl. 48.

Tanacetum. *Folia, Flores.*
Tanacetum (*vulgare*) *foliis bipinnatis inciſis ſerratis.* L. Sp. Pl. 1184.

Taraxacum. *Herba, Radix.*
Dens

Dens leonis.

Leontodon (Taraxacum) calyce ſquamis inferne reflexis, foliis runcinatis denticulatis lævibus.

L. S. N. 596.

Tartari chryſtalli.

Terebinthina Veneta. *Reſina.*

Pinus (Larix) foliis faſciculatis obtuſis. L. Sp. Pl. 1420.

Terra Japonica dicta. *Extractum.*

Mimoſa (catechu) ſpinis ſtipularibus, foliis bipinnatis multijugis: glandulis partialium ſingulis, ſpicis axillaribus geminis ſ. ternis pedunculatis. L. Suppl. 439.

Thymus.

Thymus. *Herba.*

Thymus (vulgaris) erectus, foliis re-volutis ovatis, floribus verticilla-to-ſpicatis. L. Sp. Pl. 825.

Tormentilla. *Radix.*

Tormentilla (erecta) caule erectiuſculo, foliis ſeſſilibus. L. Sp. Pl. 716.

Tragacantha. *vide* Gummi.

Trichomanes. *Herba.*

Aſplenium (Trichomanes) frondibus pinnatis: pinnis ſubrotundis cre-natis. L. Sp. Pl. 1540.

Trifolium paluſtre. *vide* Menyan-thes.

Tuſſilago.

Tuſſilago. *Folia, Flores.*

Tuſſilago (Farfara) ſcapo imbricato uniſloro, foliis ſubcordatis angulatis denticulatis. L. Sp. Pl. 1214.

Tutia.

Valeriana ſylveſtris. *Radix.*

Valeriana (officinalis) floribus triandris, foliis omnibus pinnatis.
L. Sp. Pl. 45.

Veratrum. *Radix.*

Helleborus albus.

Veratrum (album) racemo ſupradecompoſito, corollis erectis.
L. Sp. Pl. 1479.

Verbaſcum. *Folia.*

Verbaſcum

Verbaſcum (*Thapſus*) *foliis decurrentibus utrinque tomentoſis, caule ſimplici.* L. S. N. 183.

Viola. *Flores.*

Viola (*odorata*) *acaulis, foliis cordatis, ſtolonibus reptantibus.* L. Sp. Pl. 1324.

Vipera.

Coluber (*Berus*) *ſcutis abdominalibus* 146, *ſquamis caudæ* 39. Faun. Suecic. 104.

Vitriolum album; *ſive, Zinci.*

Vitriolum cæruleum; *ſive, Cupri.*

Vitriolum viride; *ſive, Ferri.*

Ulmus. *Cortex interior.*

Ulmus (campeſtris) foliis duplicato-ſerratis : baſi inæqualibus.

L. Sp. Pl. 327.

Urtica. *Herba.*

Urtica (dioica) foliis oppoſitis cordatis, racemis geminis.

L. Sp. Pl. 1396.

Uva urſi. *Folia.*

Arbutus (Uva urſi) caulibus procumbentibus, foliis integerrimis.

L. Sp. Pl. 566.

Zedoaria. *Radix.*

Amomum ſcapo nudo, ſpica laxa truncata. Berg. Mat. Med. p. 4.

Zincum.

Zincum.

Zingiber. *Radix.*
Amomum (Zingiber) ſcapo nudo, ſpica ovata. L. Sp. Pl. 1.

Zingiber conditum. *Radix condita.*

MEDICAMENTA PRÆPARATA ET COMPOSITA.

MEDICAMENTA PRÆPARATA ET COMPOSITA.

SIMPLICIUM QUORUNDAM MEDICAMENTORUM PRÆPARATIONES.

ALUMEN USTUM.

Alumen in vaſe fictili vel ferreo liqueſcat igne, donec ebullire deſinat.

ANTIMONIUM PRÆPARATUM.

Antimonium, in mortario ferreo in pulverem tritum et ſuper por-

phyriten cum pauxilla aqua lævigatum, inde vaſi amplo: Tum affunde aquam, quam, vaſe ſæpius agitato, polline onuſtam elutria. Quieſcente aqua, ſubſidet pulvis ſubtilis, exſiccandus.

Pulvis craſſus quem aqua ſuſtinere nequit iterum lævigetur, et eodem tractetur modo.

CALAMINARIS LAPIS PRÆPARATUS.

Calaminaris lapis ab iis qui orichalcum conficiunt calcinatus, præparatur ut antimonium.

CRETA

CRETA PRÆPARATA.

Creta trita, et aqua ſæpius abluta, donec hanc nullo aut ſapore aut colore inficiat, præparatur ut antimonium.

FERRI LIMATURA PURIFICATA.

Imposito limaturæ cribro admoveatur magnes, ut trans cribrum limatura ſurſum attrahatur.

FERRI RUBIGO, vulgo FERRI LIMATURA PRÆPARATA.

Ferri limatura purificata ſæpius aqua humectetur ut fatiſcat in rubiginem, quæ in pollen teratur.

FERRI

FERRI SQUAMÆ PURIFICATÆ.

Ferri ſquamæ ad fabrorum incudes reperiundæ magnete admoto purificantur. Magnes enim ſquamas tenuiores, puriores, tantum attrahit, relictis craſſioribus minus puris.

HERBARUM ET FLORUM EXSICCATIO.

Herbæ et flores hypocauſti vel foci communis calore leni exſiccentur, ea quantitate tantum qua id quam citiſſime fiat. Sic enim eorum vires optime ſervantur, cujus indicium eſt color nativus quam perfectiſſime ſervatus.

Cicutæ

Cicutæ vero folia, et alia, materie ſubtili volatili referta, poſt exſiccationem illico conterantur, et in vaſa vitrea bene obturanda reponantur.

MILLEPEDÆ PRÆPARATÆ.

Millepedæ panno cannabino rariori incluſæ ſuſpendantur in vaſe clauſo ſuper ſpiritum vinoſum calefactum, ut a vapore necatæ friabiles reddantur.

OCULI CANCRORUM dicti PRÆPARATI.

Præparantur ut antimonium.

PUL-

PULPARUM EXTRACTIO.

Fructus qui pulpam præbere poſſunt, ſi immaturi ſint, vel maturi et ſicci, coque cum pauxilla aqua, ut molleſcant; deinde pulpam per cribrum ſetaceum exprime; poſtea in vaſe fictili coque lento igne, crebro agitans, ne aduratur, donec mellis ſpiſſitudinem habeat.

Item caſiæ fiſtularis pulpa ex ſiliqua contuſa excoquenda eſt, deinde aquam evaporando ad idoneam ſpiſſitudinem reducenda.

Fructuum maturorum et recentium pulpæ per cribrum exprimantur, nulla coctione præmiſſa.

SCILLÆ

SCILLÆ EXSICCATIO.

Scillam, ablato externo cortice, tranſverſim in taleolas tenues ſeca, et leni calore exſicca. Recte exſiccatæ indicium eſt, quod friabilis reddita amaritiem et acrimoniam retinet.

SPONGIÆ USTIO.

Spongiam in fruſtula parva conciſam, et ab adhærentibus terreis bene liberatam, in vaſe fictili clauſo, igni imponito, crebro ſimul agitans, donec nigreſcat, et friabilis fiat; deinde in mortario vitreo vel marmoreo in pulverem redige.

TESTÆ OSTREORUM PRÆPARATÆ.

Testæ oſtreorum cavæ, planis rejectis, a ſordibus adhærentibus bene purgatæ, præparantur ut antimonium.

TUTIA PRÆPARATA.

Præparatur ut antimonium.

CON-

CONSERVÆ.

MENTHÆ ſativæ foliorum recentium.

ROSARUM rubrarum nondum explicitarum.

AURANTIORUM Hiſpalenſium corticis exterioris recentis radula abraſi.

SINGULA, in pulpam contuſa, ſacchari puriſſimi triti pondere triplo inter contundendum paulatim addito, bene miſceantur.

CONSERVA PRUNORUM SILVESTRIUM.

Pruna in aquam immiſſa ſuper ignem mollito, cura adhibita ne rumpantur; dein exemptis ex aqua prunis pulpam exprime, et triplo pondere ſacchari puriſſimi triti miſce.

SUCCI.

S U C C I.

SUCCI AD SCORBUTICOS.

R. Succi cochleariæ,
naſturtii aquatici,
ex herbis recens carptis expreſſi,
aurantiorum Hiſpalenſium,
ſingulorum libras duas,
Aquæ nucis moſchatæ ſpirituoſæ ſelibram.

Misce, et ſepone donec fæces ſubſederint, dein effunde.

SUCCI SPISSATI, vulgo EXTRACTA.

SUCCUS SPISSATUS ACONITI.

Aconiti folia recentia contundantur, et ſacco cannabino incluſa prælo comprimantur valide, ut ſuccum præbeant; qui in vaſis patulis aquæ ferventis vapore calefactis illico exhaletur ad mellis craſſioris ſpiſſitudinem, circa finem aſſidua agitatione evitato empyreumate.

Postquam refrixerit, reponatur in vaſis fictilibus vitreatis, et ſpiritu vini rectificato madefactis.

Eodem

Eodem modo parantur

SUCCI SPISSATI

Belladonnæ.
Hyoscyami.

SUCCUS SPISSATUS CICUTÆ.

Cicutæ floreſcentis foliorum et caulium ſucco, ut aconiti expreſſo, et ad mellis liquidioris ſpiſſitudinem exhalato; jamque refrigerato, adde foliorum cicutæ exſiccatorum, et in pulverem tritorum, quantum ſatis ſit, ut fiat maſſa pilulis formandis idonea. Curandum autem ut exhalatio eo procedat, ut pulveris tantum admiſceri poſſit, quantum quintam circiter totius maſſæ partem efficiat.

SUCCUS SPISSATUS BACCARUM SAMBUCI, vulgo ROB SAMBUCI.

R. Succi baccarum ſambuci maturarum libras quinque,
Sacchari puriſſimi libram unam.

DECOQUE leni igne ad mellis craſſioris ſpiſſitudinem.

OLEA EXPRESSA.

OLEUM AMYGDALARUM.

R. Amygdalarum recentium quantum velis.

In mortario lapideo contuſas ſacculo cannabino include, et oleum torculari exprime, ſine calore.

EMULSIONES.

EMULSIO COMMUNIS.

R. Amygdalarum dulcium unciam unam,
amararum drachmam unam,
Aquæ libras duas cum ſemiſſe.

Decorticatas amygdalas in mortario lapideo contunde, aquam ſimul paulatim affundens; dein cola.

EMULSIO ARABICA.

Fit eodem modo, additis inter amygdalas contundendas
Mucilaginis gummi Arabici unciis duabus.

IN-

INFUSA.

INFUSUM AMARUM.

R. Radicis gentianæ ſemunciam,
Corticis aurantiorum Hiſpalenſium ſiccati drachmam unam,
Seminum coriandri ſemidrachmam,
Spiritus vinoſi tenuioris uncias quatuor,
Aquæ libram unam.

Affunde primum ſpiritum, et poſt tres horas aquam; tum macera ſine calore per noctem, et cola.

INFUSUM RHEI.

R. Rhei ſemunciam,
Aquæ bullientis uncias octo,
Aquæ cinnamomi ſpirituoſæ unciam unam.

Macera rheum cum aqua bulliente in vaſe clauſo per noctem; dein, addita aqua cinnamomi, cola.

INFUSUM, vulgo TINCTURA ROSARUM.

R. Roſarum rubrarum ſiccatarum unciam unam,
Aquæ bullientis libras quinque,
Acidi vitriolici drachmam unam,
Sacchari albi uncias duas.

Macera

Macera roſas cum aqua bulliente in vaſe fictili, non vitreato, horas quatuor; dein, affuſo acido, liquorem cola, et adjice ſaccharum.

INFUSUM TAMARINDORUM CUM SENNA.

R. Tamarindorum drachmas ſex,
Cryſtallorum tartari,
Foliorum ſennæ, utriuſque drachmam unam,
Seminum coriandri ſemidrachmam,
Sacchari rubri ſemunciam,
Aquæ bullientis uncias octo.

In vaſe fictili, quod plumbo non ſit vitreatum, clauſo macera, ſubinde

inde agitans, et poſt horas quatuor cola.

Fit quoque cum ſenna duplice, triplice, &c.

POTIO CRETACEA.

R. Cretæ præparatæ unciam unam,
Sacchari puriſſimi ſemunciam,
Mucilaginis gummi Arabici uncias duas.

Tere ſimul, et dein ſenſim adde
Aquæ libras duas cum ſemiſſe,
Aquæ cinnamomi ſpirituoſæ uncias duas.

Misce.

MU-

MUCILAGO GUMMI ARABICI.

R. Gummi Arabici in pulverem triti et aquæ ferventis pondera paria.

Digere, ſubinde agitans, donec ſolvatur gummi, tum per linteum exprime.

MUCILAGO GUMMI TRAGACANTHÆ.

R. Gummi tragacanthæ triti unciam unam,
Aquæ ferventis uncias octo.

Macera horas viginti quatuor, dein miſce, diligenter terens ut ſolvatur gummi, et per linteum exprime.

AQUA

AQUA CALCIS.

R. Calcis vivæ recentis libram dimidiam,

Vaſi figulino immitte, et inſperge aquæ uncias quatuor, clauſo vaſe dum calx incaleſcit et in pulverem dilabitur; dein affunde aquæ libras duodecim, et agitatione calcem cum aqua permiſce. Poſtquam ſubſederit calx, iteretur agitatio; idque fiat decies circiter, occluſo ſemper vaſe, ut liberior aëris acceſſus arceatur. Tandem coletur aqua per chartam in infundibulo operto poſitam, et lagenis probe obturatis ſervetur.

DE-

DECOCTA.

DECOCTUM ALTHÆÆ.

R. Radicis althææ ſiccatæ uncias quatuor,
Paſſularum majorum, demptis acinis, uncias duas,
Aquæ libras ſeptem.

Decoque ad libras quinque; liquorem colatum ſepone donec fæces ſubſederint, et effunde.

DECOCTUM COMMUNE.

R. Florum chamæmeli unciam unam,

Seminum

Seminum carvi ſemunciam,
Aquæ libras quinque.

Coque quartam horæ partem, et cola.

DECOCTUM HORDEI.

R. Hordei (lingua vernacula *Pearl-barley* dicti) uncias duas,
Aquæ libras quinque.

Primum farina hordeo adhærens aqua frigida abluatur; tum hordeum cum aquæ libra circiter dimidia aliquantulum coquatur, ut materia colorans extrahatur; qua abjecta, hordeum ita purificatum, quinque aquæ bullientis libris addatur; dein hæc

hæc ad dimidiam coquatur, et coletur.

DECOCTUM LIGNORUM.

R. Scobis ligni guajaci uncias tres,
Paſſularum majorum uncias duas,
Radicis ſaſſafras,
glycyrrhizæ, ſingularum unciam unam,
Aquæ libras decem.

Decoque aquam cum guajaco et paſſulis, leni igne, ad libras quinque, ſub finem adjiciens ſaſſafras et glycyrrhizam; dein cola ſine expreſſione.

DE-

DECOCTUM SENEKÆ.

R. Radicis ſenekæ unciam unam,
Aquæ libras duas.

DECOQUE ad uncias ſexdecim, et cola.

VINA.

V I N A.

VINUM ALOETICUM, vulgo TINCTURA SACRA.

R. Aloes Socotorinæ unciam unam,
Seminum Cardamomi minoris,
Zingiberis, utriuſque drachmam unam,
Vini albi Hiſpani libras duas.

Digere dies ſeptem, ſubinde agitans, et cola.

VINUM AMARUM.

R. Radicis gentianæ ſemunciam,
Corticis Peruviani unciam unam,

Corticis aurantiorum Hiſpalenſium ſiccati drachmas duas,
Canellæ albæ drachmam unam,
Spiritus vinoſi tenuioris uncias quatuor,
Vini albi Hiſpani libras duas cum ſemiſſe.

Affunde primum ſpiritum vinoſum, et, poſt horas viginti quatuor, adde vinum; tum macera per dies tres, et cola.

Hoc vinum vicem ſupplet Tincturæ ad stomachicos.

VINUM

VINUM ANTIMONIALE.

R. Vitri antimonii in pulverem tenuiſſimum triti unciam unam,
Vini albi Hiſpani uncias quindecim.

Macera, ſubinde agitans, dies tres, dein per chartam cola.

VINUM E TARTARO ANTIMONIALI.

R. Tartari antimonialis, ſive emetici, grana viginti quatuor, et ſolve in vini albi Hiſpani libra una.

VINUM, vulgo TINCTURA IPECACUANHÆ.

R. Radicis ipecacuanhæ unciam unam,
Vini albi Hiſpani uncias quindecim.

MACERA triduum, et per chartam cola.

VINUM MILLEPEDATUM.

R. Millepedarum vivarum unciam unam,
Vini Rhenani uncias octo.

MILLEPEDIS paululum contuſis affunde vinum, dein macera horas duodecim,

duodecim, et per linteum exprimens cola.

VINUM RHEI.

R. Rhei uncias duas,
Canellæ albæ drachmam unam,
Spiritus vinoſi tenuioris uncias duas,
Vini albi Hiſpani uncias quindecim.

MACERA dies ſeptem, et cola.

A C E T A.

ACETUM SCILLITICUM.

R. Radicis ſcillæ ſiccatæ uncias duas,
Aceti deſtillati libras duas cum ſemiſſe,
Spiritus vinoſi rectificati uncias tres.

Macera ſcillam cum aceto dies octo, dein exprime acetum, cui adde ſpiritum, et, cum fæces ſubſederint, liquorem effunde.

TINC-

TINCTURÆ.

TINCTURA ABSINTHII.

R. Summitatum abſinthii floridarum rite ſiccatarum uncias quatuor,
Spiritus vinoſi rectificati libras duas.

Macera biduum; dein ſpiritum exprime, et affunde denuo
Abſinthii unciis duabus.

Macera rurſus dies quatuor, tum per linteum tincturam exprime, et poſtea per chartam cola.

TINCTURA AMARA, ſivè ELIXIR STOMACHICUM.

R. Radicis gentianæ uncias duas,
Corticis aurantiorum Hiſpalenſium ſiccati unciam unam,
Canellæ albæ ſemunciam,
Cochinillæ ſemidrachmam,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

MACERA dies quatuor, et per chartam cola.

TINCTURA AROMATICA.

R. Cinnamomi drachmas ſex,
Seminum cardamomi minoris unciam unam,

Radicis

Radicis angelicæ ſativæ drachmas tres,
Piperis longi drachmas duas,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Macera dies ſeptem, et per chartam cola.

TINCTURA CANTHARIDUM.

R. Cantharidum drachmam unam,
Spiritus vinoſi tenuioris libram unam.

Digere dies quatuor, et per chartam cola.

TINCTURA CARDAMOMI.

R. Seminum Cardamomi minoris uncias ſex,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Macera dies octo, et per chartam cola.

TINCTURA CASTOREI.

R. Caſtorei Ruſſici ſeſcunciam,
Spiritus vinoſi rectificati libram unam.

Digere dies ſex, et cola.

TINCTURA CASTOREI COMPOSITA.

R. Caſtorei Ruſſici unciam unam,
Aſæ fœtidæ ſemunciam,
Spiritus ſalis ammoniaci vinoſi libram unam.

Macera dies ſex in phiala clauſa, et cola.

TINCTURA CINNAMOMI.

R. Cinnamomi uncias tres,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Macera dies octo, et cola.

TINC-

TINCTURA CORTICIS PERUVIANI.

R. Corticis Peruviani uncias quatuor,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Digere dies decem, et cola.

TINCTURA CROCI.

R. Croci Anglici unciam unam,
Spiritus vinoſi tenuioris uncias quindecim.

Digere dies quinque, et per chartam cola.

TINC-

TINCTURA FOETIDA.

R. Aſæ fœtidæ uncias duas,
Spiritus ſalis ammoniaci vinoſi libram unam.

Macera dies ſex in phiala clauſa, et cola.

TINCTURA FULIGINIS.

R. Fuliginis ligni ſplendentis unciam unam,
Aſæ fœtidæ ſemunciam,
Spiritus vinoſi rectificati,
Spiritus vinoſi tenuioris, utriuſque ſemilibram.

Digere dies ſex, et cola.

ELI-

ELIXIR GUAJACINUM.

R. Gummi guajaci libram unam,
Balſami Peruviani drachmas tres,
Spiritus vinoſi rectificati libras duas cum ſemiſſe.

Digere dies decem, et cola.

ELIXIR GUAJACINUM VOLATILE.

R. Gummi guajaci uncias quatuor,
Balſami Peruviani drachmas duas,
Olei ſtillatitii ſaſſafras ſemidrachmam,
Spiritus ſalis ammoniaci vinoſi ſeſquilibram.

Macera dies ſex in phiala clauſa, et cola.

TINC-

TINCTURA MELAMPODII, ſive HELLEBORI NIGRI.

R. Radicis melampodii uncias quatuor,
Cochinillæ ſemidrachmam,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

DIGERE dies octo, et per chartam cola.

TINCTURA JALAPPÆ.

R. Radicis jalappæ uncias tres,
Spiritus vinoſi tenuioris uncias quindecim.

DIGERE dies octo, et cola.

TINC-

TINCTURA JAPONICA.

R. Terræ Japonicæ uncias tres,
Cinnamomi uncias duas,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Digere dies octo, et cola.

TINCTURA E KINO.

R. Gummi kino uncias duas,
Spiritus vinoſi tenuioris ſeſquilibram.

Digere dies octo, et cola.

TINCTURA MARTIS.

℞. Squamarum ferri purificatarum et in pulverem tritarum uncias tres,
Acidi muriatici quantum ſufficiat ad ſolvendum pulverem.

Digere leni calore, et, ſoluto pulvere, adde
Spiritus vinoſi rectificati quantum ſufficiat, ut ſint totius liquoris libræ duæ cum ſemiſſe.

TINCTURA MOSCHI.

℞. Moſchi drachmas duas,
Spiritus vinoſi rectificati libram unam.

Digere dies decem, et cola.

TINCTURA MYRRHÆ.

℞. Myrrhæ uncias tres,
Spiritus vinoſi rectificati libras duas cum ſemiſſe.

Digere dies decem, et cola.

ELIXIR PAREGORICUM.

℞. Florum Benzoini,
Croci Anglici, ſingulorum drachmas tres,
Opii drachmas duas,
Olei ſtillatitii aniſi ſemidrachmam,
Spiritus ſalis ammoniaci vinoſi uncias ſexdecim.

Di-

Digere quatuor dies in phiala clauſa, et cola.

ELIXIR ALOES, vulgo PROPRIETATIS.

R. Myrrhæ tritæ uncias duas,
Spiritus vinoſi rectificati,
Spiritus vinoſi tenuioris, ſingulorum libram unam.

Digere per dies quatuor, dein adde
Aloes Socotorinæ tritæ ſeſcunciam,
Croci Anglici unciam unam.

Digere rurſus per biduum, et elixir defæcatum effunde.

ELIXIR ALOES, ſive PROPRIETATIS VITRIOLICUM.

R. Myrrhæ,
Aloes Socotorinæ, utriuſque ſeſcunciam,
Croci Anglici unciam unam,
Spiritus vitrioli dulcis libram unam.

Digere myrrham cum ſpiritu dies quatuor in phiala clauſa, dein adde crocum et aloen.

Digere rurſus dies quatuor, et cum fæces ſubſederint effunde elixir.

TINC-

TINCTURA RHEI.

R. Rhei uncias tres,
Seminum cardamomi minoris ſemunciam,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Digere dies ſeptem, et cola.

TINCTURA RHEI DULCIS.

Fit ſi tincturæ rhei colatæ addantur
Sacchari cryſtallini unciæ quatuor.

TINCTURA RHEI AMARA.

R. Rhei uncias duas,
Gentianæ ſemunciam,
Serpentariæ Virginianæ drachmam unam,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

DIGERE dies ſeptem, et cola.

ELIXIR EX ALOE ET RHEO, vulgo SACRUM.

R. Rhei drachmas decem,
Aloes Socotorinæ drachmas ſex,
Seminum cardamomi minoris ſemunciam,

Spiritus

Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

DIGERE dies ſeptem, et cola.

TINCTURA SATURNINA, vulgo ANTIPHTHISICA.

R. Sacchari Saturni ſeſcunciam,
Vitrioli Martis unciam unam,
Spiritus vinoſi rectificati libram unam.

EXTRAHATUR tinctura ſine calore.

TINCTURA SENNÆ COMPOSITA, vulgo ELIXIR SALUTIS.

R. Foliorum ſennæ uncias duas,
Radicis jalappæ unciam unam,
Seminum coriandri ſemunciam,
Spiritus vinoſi tenuioris libras tres cum ſemiſſe.

DIGERE dies ſeptem, et tincturæ colatæ adde ſacchari cryſtallini uncias quatuor.

TINCTURA SERPENTARIÆ.

R. Radicis ſerpentariæ Virginianæ uncias duas,
Cochinillæ drachmam unam,
Spiritus

Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

Digere dies quatuor, et cola.

TINCTURA THEBAICA, vulgo LAUDANUM LIQUIDUM.

R. Opii uncias duas,
Aquæ cinnamomi ſpirituoſæ libram unam cum ſemiſſe.

Digere dies quatuor, et per chartam cola.

TINCTURA TOLUTANA.

R. Balſami Tolutani ſeſcunciam,

Spiritus

Spiritus vinoſi rectificati libram unam.

Digere donec ſolvatur balſamum, et cola.

TINCTURA VALERIANÆ VOLATILIS.

R. Radicis valerianæ ſilveſtris uncias duas,
Spiritus ſalis ammoniaci vinoſi libram unam.

Macera ſex dies in phiala clauſa, et cola.

TINC-

TINCTURA VERATRI, ſive HELLEBORI ALBI.

R. Radicis veratri uncias octo,
Spiritus vinoſi tenuioris libras duas cum ſemiſſe.

DIGERE dies decem, et per chartam cola.

ELIXIR VITRIOLI ACIDUM.

R. Spiritus vinoſi rectificati libras duas,

INSTILLA paulatim
Acidi vitriolici uncias ſex.

MISTURAM digere, calore leniſſimo,

mo, in vaſe clauſo triduum, dein adde

Cinnamomi ſeſcunciam,
Zingiberis unciam unam.

DIGERE rurſus in vaſe clauſo ſex dies, dein per chartam infundibulo vitreo impoſitam cola.

ELIXIR VITRIOLI DULCE.

FIT ex iiſdem aromatis et eodem modo quo TINCTURA AROMATICA, niſi quod loco ſpiritus vinoſi adhibetur ſpiritus vitrioli dulcis.

SPI-

SPIRITUS VINOSUS CAMPHORATUS.

R. Camphoræ unciam unam,
Spiritus vinoſi rectificati libram unam.

Misce ut ſolvatur camphora.

Fit quoque cum camphora duplice, triplice, &c.

LINIMENTUM ANODYNUM, vulgo BALSAMUM ANODYNUM.

R. Opii unciam unam,
Saponis albi Hiſpani uncias quatuor,
Camphoræ uncias duas,

Olei

Olei ſtillatitii roriſmarini ſemunciam,
Spiritus vinoſi rectificati libras duas.

Digere opium et ſaponem in ſpiritu triduum; dein liquori colato adjice camphoram et oleum, diligenter agitans.

LINIMENTUM SAPONACEUM, vulgo BALSAMUM SAPONACEUM.

Omisso ſolum opio, fit ex iiſdem medicamentis et eodem modo quo Balsamum anodynum.

BAL-

BALSAMUM, ſive ELIXIR TRAUMATICUM.

R. Benzoini uncias tres,
Balſami Peruviani uncias duas,
Aloes hepaticæ ſemunciam,
Spiritus vinoſi rectificati libras duas.

DIGERE dies decem, et cola.

EX-

EXTRACTA.

EXTRACTUM GENTIANÆ.

R. Radicis gentianæ quantum velis.

Concisæ et contuſæ affunde aquæ quadruplum. Decoque ad medias, et valide exprimens cola. Decoctum illico vaporet, in vaſis aquæ ferventis vapore calefactis, ad mellis craſſioris ſpiſſitudinem.

In hoc et in omni extracto parando, circa finem aſſidua agitatione opus eſt, ut evitetur empyreuma, et ut ſit extractum uniforme et ſine grumis.

Eodem modo parantur

EXTRACTA

Radicum melampodii, ſive Hellebori nigri.

Foliorum pulsatillæ nigricantis.

rutæ.

Capitum papaveris albi.

Seminum cicutæ vix dum maturorum.

EXTRACTUM JALAPPÆ.

R. Radicis jalappæ libram unam,
Spiritus vinoſi rectificati libras quatuor.

Digere per dies quatuor, et effunde tincturam. Magma reſiduum coque ex aquæ libris decem ad libras duas; decoctum dein cola, et vapora ad mellis liquidioris ſpiſſitudinem. Spiritum e tinctura, deſtillatione, abſtrahe donec ſimiliter ſpiſſeſcat. Tum liquores ſic inſpiſſatos permiſce, et, aſſidue agitans, vapora ad idoneam craſſitudinem.

EXTRACTUM CORTICIS PERUVIANI, et EXTRACTUM LIGNI CAMPECHENSIS.

Parantur eodem modo quo Extractum Jalappæ.

AQUÆ

AQUÆ STILLATITIÆ SIMPLICES.

AQUA DESTILLATA.

Aqua fontana vel putealis deſtilletur vaſis mundiſſimis, donec ejus duo circiter trientes ſtilláverint.

AQUA SEMINUM ANETHI SIMPLEX.

R. Seminum anethi libram unam.

Affundatur aquæ tantum ut cum deſtillatione elicitæ fuerint libræ decem, ſuperſit quantum ſufficiat ad evitandum empyreuma. Poſt

macerationem debitam deſtillentur libræ decem.

Eodem modo parantur aquæ ſtillatitiæ ſimplices libræ decem ex

Cinnamomi libra una,

Cassiæ ligneæ ſeſquilibra,

Foliorum menthæ piperitidis libris tribus,

Foliorum menthæ sativæ libris tribus,

pulegii libris tribus,

Piperis Jamaicensis ſelibra,

Rosarum pallidarum recentium libris ſex,

Corticis malorum limoniorum recentium libris duabus,

Corticis aurantiorum Hiſpalenſium recentium libris duabus.

AQUÆ

AQUÆ STILLATITIÆ SPIRITUOSÆ.

AQUA CARVI SPIRITUOSA.

R. Seminum carvi ſelibram,
Spiritus vinoſi tenuioris libras novem.

Macera biduum in vaſe clauſo; dein affundatur aquæ quantum ſufficiat ad evitandum empyreuma, et deſtillatione eliciantur libræ novem.

Eodem modo parantur aquæ ſtillatitiæ ſpirituoſæ libræ novem ex
Cinnamomi libra una,
Foliorum menthæ piperitidis ſeſquilibra,

NUCIS MOSCHATÆ bene contritæ unciis duabus,
PIPERIS JAMAICENSIS ſelibra.

AQUA JUNIPERI COMPOSITA.

℞. Baccarum juniperi bene contuſarum libram unam,
Seminum carvi,
fœniculi dulcis, utriuſque ſeſcunciam,
Spiritus vinoſi tenuioris libras novem.

MACERA biduum; et addita aqua quanta ſufficiat ad evitandum empyreuma, deſtillatione eliciantur libræ novem.

SPI-

SPIRITUS STILLATITII.

SPIRITUS LAVENDULÆ SIMPLEX.

R. Spicarum florentium lavendulæ recentium libras duas,
Spiritus vinoſi rectificati libras octo.

Per deſtillationem calore aquæ bullientis eliciantur libræ ſeptem.

SPIRITUS RORISMARINI.

R. Summitatum florentium roriſmarini recentium libras duas,
Spiritus vinoſi rectificati libras octo.

Per deſtillationem calore aquæ bullientis eliciantur libræ ſeptem.

SPIRITUS LAVENDULÆ COMPOSITUS.

R. Spiritus lavendulæ ſimplicis libras tres,
rorifmarini libram unam,
Cinnamomi unciam unam,
Caryophyllorum aromaticorum drachmas duas,
Nucis moſchatæ ſemunciam,
Santali rubri drachmas tres.

Macera dies ſeptem, et cola.

OLEA

OLEA STILLATITIA.

OLEA ESSENTIALIA,

Herbæ MENTHÆ SATIVÆ,
MENTHÆ PIPERITIDIS,
SABINÆ,
Summitatum RORISMARINI,
Spicarum florentium LAVENDULÆ,
Seminum ANISI,
Baccarum JUNIPERI,
Radicis SASSAFRAS,
PIPERIS JAMAICENSIS,

eodem fere modo parantur ac aquæ ſtillatitiæ ſimplices, niſi quod hic aqua parcius adjicienda eſt. Semina et lignoſa prius contundenda aut radenda

denda ſunt. Oleum cum aqua elicitur, et, prout levius aut gravius fuerit, ejus ſuperficiei innatat aut fundum petit, poſtea ſeparandum.

Porro, notandum eſt de aquis et oleis hiſce ſtillatitiis parandis, quod multa hic adeo varia contingere neceſſe eſt, pro rerum bonitate, compage, anni tempeſtate, et ſimilibus, ut norma certa et generalis, quæ unicuique exemplo ſtrictius conveniat, vix poſſit præſcribi; quocirca methodum tantum generalem innuimus, plurima opificis judicio varianda relinquentes.

OLEUM

OLEUM E CORNUBUS RECTIFICATUM, ſive OLEUM ANIMALE.

R. Olei empyreumatici e cornubus animalium deſtillati recentis, q. v.

DESTILLET ex matracio, capitello inſtructo, igne leni, quamdiu prodit oleum tenue coloris expers, quod ope aquæ a ſale et ſpiritu alcalino purgetur. Ut limpidum et ſincerum reſtet hoc oleum, in phialis parvis omnino repletis et inverſis ſervari debet, cuique vaſculo prius inſtillatis aliquot aquæ guttis, ut, inverſo vaſculo, hæc inter oleum et vaſis obturaculum interjaceat.

OLEUM

OLEUM et SAL SUCCINI.

R. Succini in pulverem triti,
Arenæ puræ, partes æquales.

Commixta immitte retortæ vitreæ cujus dimidium impleant. Adaptato excipulo amplo, deſtilla ex arena, igne gradatim aucto. Primo liquor aquoſus cum paululo olei flavi, dein oleum flavum cum ſale, poſtea oleum ſubrubrum et nigrum extillabit. Liquor ex excipulo effundatur, et oleum ab aqua ſeparetur. Sal a retortæ collo et excipuli lateribus collectus, inter plicas chartæ emporeticæ comprimatur, ut ab oleo adhærente liberetur; dein ſolutione in

in aqua calida et cryſtallizatione fiat purus.

OLEUM SUCCINI RECTIFICATUM.

OLEUM e retorta vitrea, aquæ ſextuplo addito, deſtillet, donec aquæ duo trientes in excipulum tranſierint. Dein oleum rectificatum ab aqua ſeparetur, et in vaſis bene obturatis ſervetur.

OLE-

O L E O S A.

OLEUM CAMPHORATUM.

R. Olei olivarum recentis uncias duas,
Camphoræ ſemunciam.

Misce ut ſolvatur camphora.

BALSAMUM SULPHURIS CRASSUM.

R. Olei olivarum uncias octo,
Florum ſulphuris unciam unam.

Coque leni igne, in vaſe amplo ferreo, aſſidue agitans, ut coeant in balſamum.

SALES et SALINA.

ACETUM DESTILLATUM.

In vaſis vitreis, leni igne, deſtillentur aceti libræ octo. Libræ duæ primum prodeuntes, utpote nimis aquoſæ, rejiciendæ ſunt; quæ ſequuntur libræ quatuor erunt acetum deſtillatum. Reliquum fundit acidum fortius, ſed igne nimis exuſtum.

ACIDUM MURIATICUM, vulgo SPIRITUS SALIS MARINI.

R. Salis marini libras duas,
Acidi vitriolici,
Aquæ utriuſque libram unam.

Sal

Sal primum ollæ imponatur, et rubeſcat ab igne, ut ſordes oleoſæ urantur; tum retortæ immittatur. Dein acidum cum aqua permiſce, et miſturam poſtquam refrixerit ſali affunde. Tandem deſtilla ex arena, igni mediocri, quamdiu prodit acidum.

ACIDUM NITROSUM, vulgo SPIRITUS NITRI GLAUBERI.

R. Nitri puriſſimi contuſi libras duas,
Acidi vitriolici libram unam.

Nitro retortæ vitreæ indito affunde acidum, dein deſtilla ex arena, igne ſenſim aucto, donec olla ferrea obſcure rubeat.

ACI-

ACIDUM NITROSUM TENUE.

R. Acidi nitroſi,
Aquæ, pondera paria.

Misce, a vaporibus noxiis cavens.

ACIDUM NITRI VINOSUM, vulgo SPIRITUS NITRI DULCIS.

R. Spiritus vinoſi rectificati libras tres,
Acidi nitroſi libram unam.

Infunde ſpiritum phialæ amplæ, in vaſe aqua frigida pleno poſitæ, et paulatim adde, aſſidue agitans, acidum. Obturetur levius phiala,

et in loco frigidiuſculo reponatur dies ſeptem; dein deſtilletur liquor calore aquæ ferventis, in excipulum aqua vel nive refrigeratum, quamdiu prodibit ſpiritus.

ACIDUM VITRIOLICUM TENUE, vulgo SPIRITUS VITRIOLI TENUIS.

R. Acidi vitriolici partem unam,
Aquæ partes ſeptem.

MISCE.

LIQUOR ÆTHEREUS VITRIOLICUS.

R. Spiritus vinoſi rectificati,
Acidi vitriolici, utriuſque uncias triginta duas.

INFUNDE

Infunde ſpiritum retortæ vitreæ, calori ſubitaneo ferendo aptæ, et affunde uno rivo acidum. Miſce paulatim, mediocriter et crebro agitans; protinus dein deſtilla ex arena, prius ad hoc opus calefacta, in excipulum aqua vel nive refrigeratum. Ignis autem ita regatur, ut quamprimum ebulliat liquor, et ebullire pergat, donec deſtillaverint unciæ ſexdecim; tum retorta ex arena ſublevetur.

Liquori deſtillato adde cauſtici communis acerrimi drachmas duas; dein deſtilla iterum ex retorta præalta, igne leniſſimo, in excipulum refrigeratum, donec deſtillaverint unciæ decem.

Acido in retorta poſt primam de-

ſtillationem reſiduo ſi affundantur ſpiritus vini rectificati unciæ ſexdecim et iteretur deſtillatio, denuo prodibit liquor Æthereus. Hocque ſæpius fieri poteſt.

ACIDUM VITRIOLICUM VINOSUM, vulgo SPIRITUS VITRIOLI DULCIS.

R. Liquoris ætherei vitriolici partem unam.
Spiritus vinoſi rectificati partes duas.

Misce.

FLORES BENZOINI.

R. Benzoini triti quantum velis.

Indatur in ollam figulinam; cui, adaptato prius oræ ejus cucullo chartaceo amplo, ſubjice lenem ignem ut flores ſublimentur. Si oleo inquinati ſint, ſolutione in aqua calida et cryſtallizatione purificentur.

ALCALI VOLATILE EX SALE AMMONIACO, vulgo SAL AMMONIACUS VOLATILIS.

R. Salis ammoniaci libram unam,
Cretæ puriſſimæ ſicciſſimæ libras duas.

Misce bene, et ſublima ex retorta in excipulum refrigeratum.

SPIRITUS SALIS AMMONIACI.

R. Salis ammoniaci,
alcalini vegetabilis fixi purificati, utriuſque uncias ſexdecim.
Aquæ libras duas.

Salibus miſtis, et retortæ vitreæ inditis, affunde aquam; dein deſtilla ex arena, igne ſenſim aucto, ad ſiccitatem.

ALCALI VOLATILE CAUSTICUM, vulgo SPIRITUS SALIS AMMONIACI CUM CALCE VIVA.

R. Calcis vivæ recens combuſtæ libras duas,

Aquæ

Aquæ libram unam.

Aquæ in vas ferreum vel figulinum infuſæ, adjice calcem contritam; et vas operito per horas viginti quatuor, dum calx in pollen dilabatur, quod retortæ immitte. Dein affunde ſalis ammoniaci uncias ſexdecim, quadruplo aquæ pondere dilutas. Tum, occluſo retortæ ore, agitando permiſce. Denique deſtilla igne leniſſimo, adeo ut operantis manus retortæ admota calorem ejus facile perferre queat, in excipulum refrigeratum, donec deſtillaverint unciæ viginti. In hac deſtillatione vaſa ita conglutinanda ſunt, ut vapores penetrantiſſimi penitus cohibeantur. Poſt deſtillationem vero recludenda,

et alcali effundendum, antequam retorta omnino refrixerit.

SPIRITUS SALIS AMMONIACI VINOSUS.

R. Calcis vivæ uncias ſexdecim,
Salis ammoniaci uncias octo,
Spiritus vinoſi rectificati uncias triginta duas.

Calcem et ſalem ammoniacum, tenuiter contritos et permiſtos, inde retortæ vitreæ, dein adde ſpiritum, et deſtilla, eodem modo ac in proceſſu præcedente, donec ſpiritus omnis tranſierit.

SPI-

SPIRITUS VOLATILIS AROMATICUS, vulgo SPIRITUS VOLATILIS OLEOSUS, et SPIRITUS SALINUS AROMATICUS.

R. Spiritus ſalis ammoniaci vinoſi uncias octo,
Olei ſtillatitii roriſmarini ſeſquidrachmam,
corticis malorum limoniorum drachmam unam.

Misce ut ſolvantur olea.

SPIRITUS VOLATILIS FOETIDUS.

R. Spiritus ſalis ammoniaci vinoſi uncias octo,

Aſæ

Aſæ fœtidæ ſemunciam.

Digere in vaſe clauſo horas duodecim, dein deſtillentur calore aquæ ferventis unciæ octo.

SPIRITUS MINDERERI.

R. Alcali volatilis ex ſale ammoniaco triti quantum velis.

Affunde aceti deſtillati quantum ſatis ſit ad alcali accurate neutrum reddendum.

SAL TARTARI.

R. Tartari quantum velis.

Chartæ

Chartæ bibulæ madefactæ involutum, vel crucibulo inditum, circumjectis prunis, in carbonem comburatur; qui dein contritus, in crucibulo aperto calcinetur, igne mediocri, cura adhibita ne liqueſcat, uſque dum albus vel ſaltem cinereus fiat. Tum in aqua calida ſolvatur; per linteum coletur liquor, et in vaſe ferreo mundo exhalet, ſub finem aſſidue agitatus cochleari ferreo, ne materia fundo vaſis adhæreſcat. Sal albiſſimus reſtabit, qui paulo diutius ſuper ignem relinquendus eſt, donec vaſis fundus fere rubeſcat. Poſtremo refrigeratus in vitris bene obturatis reponatur.

SAL

SAL ALCALINUS FIXUS VEGETABILIS PURIFICATUS.

Sal alcalinus fixus, qui Anglice *Pearl-aſhes* vocatur, in crucibulo inditus, rubeſcat ab igne, ut ſordes oleoſæ, ſi quæ adſint, urantur; dein contritus, cum pari aquæ pondere, agitando, bene miſceatur. Lixivium, poſtquam fæces ſubſederint, in ollam ferream mundiſſimam effunde, et decoque ad ſiccitatem, circa finem aſſidue agitans ſalem, ne vaſi adhæreat.

Sal hicce, ſi rite purificatus fuerit, quamvis ſicciſſimus, cum pari aquæ pondere contritus, in liquorem, coloris odoriſque expertem, ſolvi poteſt.

SAL

SAL ALCALINUS FIXUS FOSSILIS PURIFICATUS.

R. Cinerum kali Hiſpanici, vulgo
Soda vel Barilla, quantum vis.

Contunde, tum coque ex aqua, donec omnis ſal aqua diluatur. Hanc dein per chartam cola, et in vaſe ferreo vapora, ut poſt refrigerationem concreſcant cryſtalli.

LIXIVIUM CAUSTICUM.

R. Calcis vivæ recentis uncias octo,
Salis alcalini fixi vegetabilis purificati uncias ſex.

Injiciatur calx in vas ferreum vel

vel figulinum cum aquæ calidæ unciis viginti octo. Ebullitione et calcis extinctione omnino peractis, protinus adde ſalem alcalinum; hiſque bene permiſtis, vas operiatur dum frigeſcat. Frigefactam materiam agita, et effunde totam in infundibulum vitreum, cujus guttur linteolo puro obſtructum ſit. Infundibuli os ſuperius operiatur dum tubus alteri vaſi vitreo inſeratur, ut lixivium trans linteolum in vas ſuppoſitum ſenſim ſtillet. Cum primum ſtillare deſierit, affunde in infundibulum aquæ uncias aliquot, ſed caute, ut ea materiam ſupernatet. Incipiet iterum ſtillare lixivium; ac ſic iteranda eſt aquæ affuſio, donec ſtillaverint libræ tres, quod bi-

dui

dui vel tridui ſpatio fiet; dein lixivii partes ſuperiores cum inferioribus agitans, miſce, et in vaſe bene obturato ſerva.

Lixivium rite paratum, coloris et odoris expers erit; nec cum acidis efferveſcentiam ullam niſi forſitan leviſſimam excitabit. Color et odor ſalem non ſatis calcinatum, efferveſcentia calcem non fuiſſe bonam, indicant.

CAUSTICUM COMMUNE ACERRIMUM.

R. Lixivii cauſtici quantum velis.

In vaſe ferreo mundiſſimo vaporet ſuper ignem lenem, donec ebullitione

litione finita, materies ſalina tranquille fluat, inſtar olei, quod fit antequam vas igne rubeſcat. Ita liquefactum effundatur cauſticum ſuper laminam ferream nitidam: in maſſulas ſecetur antequam dureſcat, et illico in phialam bene obturandam reponatur.

CAUSTICUM COMMUNE MITIUS.

R. Lixivii cauſtici quantum velis.

VAPORET in vaſe ferreo ad tertiam partem, dein admiſceatur calcis vivæ recens extinctæ quantum ſufficiat ad pultis ſolidioris craſſitudinem dandam, quæ in vaſe obturato ſervetur.

ALCALI

ALCALI FIXUM VEGETABILE VITRIOLATUM, vulgo TARTARUM VITRIOLATUM.

R. Acidi vitriolici, ſextuplo aquæ pondere diluti, quantum velis,

INFUNDE in vas vitreum amplum, et paulatim inſtilla ſalis alcalini fixi vegetabilis purificati, ſextuplo aquæ pondere ſoluti, quantum ſatis ſit ad acidum prorſus neutrum reddendum. Effervefcentia peracta, liquorem per chartam cola, et poſt idoneam exhalationem ſepone, ut cryſtalli formentur.

SODA VITRIOLATA, vulgo SAL CATHARTICUS GLAUBERI.

Salem poſt deſtillationem acidi muriatici reſiduum ſolve in aqua, per chartam cola, et in cryſtallos redige.

SAL POLYCHRESTUS.

R. Nitri in pulverem triti,
Florum ſulphuris, pondera æqualia.

Bene commiſta injiciantur paulatim in crucibulum igne rubens. Peracta deflagratione frigeſcat ſal, et in vas vitreum bene obturandum reponatur.

Hic

Hic ſal purior fiet, ſi aqua calida ſolutus, per chartam coletur, et demum in cryſtallos redigatur.

ALCALI FIXUM VEGETABILE TARTARISATUM, vulgo TARTARUM SOLUBILE.

R. Salis alcalini fixi vegetabilis purificati libram unam,
Aquæ libras quindecim.

Sali in aqua bulliente ſoluto, tartari cryſtallos in pulverem tenuem tritas paulatim adjice, quamdiu efferveſcentiam excitant, quæ fere deſinit antequam triplum ſalis alcalini pondus injectum fuerit; dein liquorem refrigeratum per chartam cola,

et poſt idoneam exhalationem ſepone, ut cryſtalli formentur.

SODA TARTARISATA, vulgo SAL RUPELLENSIS.

Eodem modo paratur ſal rupellenſis e ſale alcalino foſſili purificato et cryſtallis tartari.

ALCALI FIXUM VEGETABILE ACETATUM, vulgo TARTARUM REGENERATUM.

R. Salis tartari libram unam.

Coquatur leniſſimo igne in aceti deſtillati quadruplo vel quintuplo; ac plus aceti deſtillati diverſis vicibus

vicibus adjiciatur, donec, prioris parte aquoſa fere vaporando diſſipata, novum acetum additum nullam moveat effervefcentiam, quod fiet conſumptis aceti deſtillati libris pondere circiter viginti; poſtea lente exſiccetur. Sal impurus reſiduus leni igne aliquantiſper nec juſto diutius liquefiat; dein aqua ſolvatur, et per chartam coletur. Si liquefactio rite peracta fuerit, liquor colatus limpidus erit; ſin minus, coloris fuſci. Poſtea leniſſimo igne vaporet hic liquor ex vaſe vitreo minime profundo, ſale dum areſcit ſubinde moto ut citius ad ſiccitatem perducatur. Sal dein in vaſe optime clauſo aſſervari debet, ne aëre liqueſcat.

MAGNESIA ALBA.

R. Salis cathartici amari,
Salis alcalini fixi vegetabilis purificati, pondera æqualia.

Separatim aquæ calidæ duplo ſolvantur, et vel colentur vel aliter a fæcibus purificentur; dein miſceantur, et protinus adjiciatur aquæ ferventis octuplum. Bulliat liquor pauliſper ſuper ignem, et ſimul agitetur; tum quieſcat donec calor paululum imminuatur, deinde coletur per linteum, ſuper quod reſtabit magneſia, quæ aqua pura abluatur donec prorſus inſulſa ſit.

MAG-

MAGNESIA USTA.

MAGNESIA crucibulo indita, ab igne rubeſcat horas duas; dein in vaſis vitreis obturatis ſervetur.

METALLICA.

SAL ARGENTI, vulgo CAUSTICUM LUNARE.

R. Argenti puriſſimi in laminas extenſi et conſciſſi uncias quatuor,
Acidi nitroſi tenuis uncias octo,
Aquæ puriſſimæ uncias quatuor.

Solvatur argentum in phiala, leni calore, et vaporetur ſolutio ad ſiccitatem. Tum maſſa crucibulo amplo indita imponatur igni, qui primo lenis, ſenſim augeatur, donec maſſa fluat inſtar olei; dein effundatur in fiſtulas ferreas calefactas, et ſebo

ſebo inunctas; denique in vitrum optime clauſum reponatur.

SAL PLUMBI, vulgo SACCHARUM SATURNI.

R. Ceruſſæ quantum velis, inde cucurbitæ et affunde
Aceti deſtillati decuplum.

STET miſtum ſuper arenam calidam donec acetum dulceſcat, hoc dein ſeparetur; novumque toties affundatur donec dulceſcere deſinat. Tum liquor omnis defæcatus vaporet in vaſe vitreo ad ſpiſſitudinem mellis liquidioris, et in loco frigido ſeponatur, ut concreſcant cryſtalli, in umbra ſiccandæ. Liquor reſiduus denuo

denuo exhalet, ut novæ formentur cryſtalli; totieſque iteretur vaporatio donec nullæ amplius concreſcant.

CUPRUM AMMONIACUM.

R. Vitrioli cærulei puriſſimi partes duas,
Alcali volatilis e ſale ammoniaco partes tres.

Diligenter ſubige in mortario vitreo, donec, finita omni efferveſcentia, placide coeant in maſſam violaceam, quæ, charta bibula obvoluta, primo ſuper lapidem cretaceum, dein leni calore exſiccata, in vitro bene obturato ſervetur.

AQUA

AQUA SAPPHIRINA.

R. Aquæ calcis recentis uncias octo,
Salis ammoniaci ſcrupulos duos,
Æruginis tritæ grana quatuor.

Misce, et poſt horas viginti quatuor cola.

AQUA STYPTICA.

R. Vitrioli cærulei,
Aluminis, ſingulorum uncias tres,
Aquæ libras duas,
Acidi vitriolici unciam unam cum ſemiſſe.

Sales in aqua coque ut ſolvantur,

tur, dein liquori per chartam colato adde acidum.

VITRIOLUM MARTIS, ſive SAL CHALYBIS.

R. Limaturæ ferri purificatæ uncias ſex,
Acidi vitriolici uncias octo,
Aquæ libras duas cum ſemiſſe.

Misce, et peracta effervefcentia, ſtet mixtura aliquamdiu ſuper arenam calidam; deinde liquorem effuſum per chartam cola, et poſt idoneam exhalationem ſepone, ut cryſtalli formentur.

VITRIOLUM CALCINATUM.

R. Vitrioli Martis quantum velis.

In vaſe fictili, non vitreato, calcinetur igne modico donec albeſcat, et ſicciſſimum fiat.

COLCOTHAR VITRIOLI.

Vitriolum calcinatum urgeatur igne vehementi donec tranſierit in materiam ruberrimam.

FLORES MARTIALES, vulgo ENS VENERIS.

R. Colcotharis vitrioli Martis loti et bene exſiccati,

Salis

Salis ammoniaci, pondera paria.

Bene permiſta ſublimentur.

CALX ZINCI, vulgo FLORES ZINCI.

Crucibulum amplum in furno prunis inſtructo ita collocetur, ut ejus oſtium verſus paulo inclinet, et, cum vaſis fundus mediocriter canduerit, injiciatur zinci fruſtulum pondere circiter unius drachmæ. Zincum brevi accenditur, et ſimul in calcem ſpongioſam convertitur, quæ ſubinde a metalli ſuperficie ſpatula ferrea retrahenda eſt, ut combuſtio ejus perfectius abſolvatur; et tandem, ceſſante flamma, calx e crucibulo auferenda eſt. Alio zinci fru-

ſtulo

ſtulo tunc projecto, operatio iteretur, et, quoties volueris, repetatur. Calx deinde præparetur ut antimonium.

VITRIOLUM ALBUM.

R. Zinci in fruſtula diſciſſi uncias tres,
Acidi vitriolici uncias quinque,
Aquæ uncias viginti.

Acido et aquæ commiſtis adjice zincum, et, finita ebullitione, liquorem cola; dein, poſt idoneam exhalationem, ſepone in loco frigido, ut cryſtalli formentur.

AQUA VITRIOLICA.

R. Vitrioli albi grana ſexdecim,
Aquæ uncias octo,
Acidi vitriolici tenuis guttas ſexdecim.

Solve vitriolum in aqua; dein addito acido, per chartam cola.

ÆTHIOPS MINERALIS.

R. Hydrargyri,
Florum ſulphuris, pondera æqualia.

Terantur in mortario vitreo vel lapideo, piſtillo vitreo, donec globuli

globuli mercuriales viſum penitus effugerint.

Fit quoque cum duplice mercurio.

MERCURIUS SUBLIMATUS CORROSIVUS.

R. Hydrargyri,
Acidi nitroſi tenuis, utriuſque uncias quatuor,
Salis marini calcinati,
Vitrioli calcinati, utriuſque uncias quinque.

Solvatur hydrargyrus in acido nitroſo, et vaporetur ſolutio in maſſam albam penitus ſiccam; dein adde ſalem marinum et vitriolum. Bene

ne contrita et commixta indantur phialæ, quam fere dimidiam impleant; et ex arena, primum igne leni, poſtea ſenſim aucto, ſublimentur.

SOLUTIO MERCURII SUBLIMATI CORROSIVI.

R. Mercurii ſublimati corroſivi grana ſex,
Salis ammoniaci grana duodecim.

Solve in aquæ deſtillatæ libra una.

MER-

MERCURIUS DULCIS.

R. Mercurii ſublimati corroſivi, in mortario vitreo triti, uncias quatuor,

Hydrargyri uncias tres cum ſemiſſe.

Terantur ſimul in mortario vitreo ad extinctionem hydrargyri; pulviſque phialæ oblongæ, cujus tertiam tantum impleat partem, inditus, ex arena calida ſublimetur. Sublimatione peracta confractaque phiala, pulvis rubens circa fundum et albicans circa collum ejus pariter rejiciendus eſt, maſſa vero reliqua ter quaterve denuo ſublimanda, et in pulverem tenuiſſimum terenda.

MERCURIUS PRÆCIPITATUS ALBUS.

R. Mercurii ſublimati corroſivi quantum velis.

Solve aqua calida, et ſoluto paulatim inſtilla ſpiritum ſalis ammoniaci quamdiu dejicitur pulvis albus, qui ſæpius abluatur aqua calida.

MERCURIUS CORROSIVUS RUBER, vulgo PRÆCIPITATUS RUBER.

R. Hydrargyri,
Acidi nitroſi tenuis, utriuſque libram unam.

Sol-

Solvatur hydrargyrus, lentoque igne vaporetur ſolutio in maſſam albam ſiccam; quæ in pulverem contrita, et cucurbitæ vitreæ indita, torreatur igne, ſenſim aucto, materia aſſidue bacillo vitreo agitata ut æqualiter incaleſcat, donec ejus pauxillum, cochleari vitreo exemptum et refrigeratum, ſquamas ſplendentes rubras exhibeat. Tum vas ab igne removeatur.

PULVIS MERCURII CINEREUS.

R. Hydrargyri,
Acidi nitroſi tenuis, paria pondera.

Misce ut ſolvatur hydrargyrus, ſolutum aqua pura dilue, et adde

ſpiritus ſalis ammoniaci quantum ſatis ſit ad hydrargyrum penitus ab acido liberandum; pulvis dein aqua pura lavetur et exſiccetur.

MERCURIUS FLAVUS, vulgo TURPETHUM MINERALE.

R. Hydrargyri uncias quatuor,
Acidi vitriolici uncias octo,

INDANTUR retortæ vitreæ, et deſtillentur ex arena ad ſiccitatem. Calx alba, in fundo relicta, trita conjiciatur in aquam tepidam. Inde naſcetur illico pulvis flavus, quem crebris ablutionibus purificare oportet.

CROCUS ANTIMONII, vulgo CROCUS METALLORUM.

R. Antimonii,
Nitri, pondera paria.

Separatim trita, et bene commiſta, injiciantur paulatim in crucibulum candens. Peracta deflagratione, materia metallica rubeſcens a cruſta albicante ſeparetur, et teratur in pulverem, qui ſæpius abluatur aqua calida donec hæc inſipida maneat.

SULPHUR ANTIMONII PRÆCIPITATUM, vulgo SULPHUR AURATUM.

R. Lixivii cauſtici libras quatuor,
Aquæ libras tres,
Antimonii in pulverem triti libras duas,

Coque in olla ferrea, ſuper ignem lentum, horas tres, aſſidue agitans ſpathula ferrea, et addens aquam prout opus fuerit. Lixivium calidum cola per linteum duplex, et liquori adhuc calenti inſtilla paulatim acidi nitroſi tenuis, quantum ſatis ſit ad dejiciendum ſulphur, aqua calida diligenter abluendum.

CAU-

CAUSTICUM ANTIMONIALE, vulgo BUTYRUM ANTIMONII.

R. Antimonii partem unam,
Mercurii ſublimati corroſivi partes duas.

Terito primum ſeorſim, dein accurate miſce, vaporibus ſumma cura vitatis. Hac materia, retorta vitrea, cujus collum breve latumque ſit, ad dimidiam impleatur; tum adaptato excipulo, deſtilla ex arena calida, donec liquor ſpiſſus aſcendens retortæ collo hæreat. Is pruna caute admota liqueſcat; dein iterum ex alia retorta deſtilletur, ut liquor pellucidus fiat.

VITRUM ANTIMONII.

Antimonium in pulverem craſſum, arenæ inſtar, contritum, inſterne ſuper vas fictile, non vitreatum, parum profundum, ignemque ſuppone lenem, ut antimonium lente caleſiat; pulverem interea aſſidue agitans, ne in grumos coeat. Vapores albi, ſulphur olentes, ex eo orientur. Cum hi, eodem ignis gradu, deficient, ignem auge aliquantum, ut iterum vapores exhalet; et ſic perge, donec pulvis igne tandem rubeſcens vapores non amplius exhalet. Calx illa crucibulo indita liqueſcat igne violento, donec vitri liquefacti ſpeciem induat; dein effundatur ſu-

per

per laminam vel patinam æneam calefactam.

VITRUM ANTIMONII CERATUM.

R. Ceræ flavæ drachmam unam,
Vitri antimonii unciam unam.

Ceræ in vaſe ferreo liquefactæ injice vitrum in pulverem tritum. Calcina igne leni horam dimidiam, ſpathula aſſidue agitans; dein effunde materiam, quæ frigefacta teratur in pulverem.

CALX

CALX ANTIMONII NITRATA.

R. Antimonii ad vitrum conficiendum calcinati,
Nitri, pondera æqualia.

Commixta, et crucibulo indita, torreantur ita ut per horam rubeat materia ; quæ demum, e crucibulo exempta, conteratur, et aqua calida ſæpius abluatur donec ſaporis expers ſit.

TARTARUS ANTIMONIALIS, vulgo TARTARUS EMETICUS.

R. Cauſtici antimonialis quantum vis.
Infunde in aquam fervidam, in qua,

Salis

Salis alcalini vegetabilis fixi puri-
ficati tantundem prius fuerit
ſolutum, ut præcipitetur pulvis
antimonialis, qui probe ablutus
exſiccetur.

DEIN aquæ libris quinque adde hujus pulveris drachmas novem, cryſtallorum tartari in pulverem tenuiſſimum tritorum uncias duas cum ſemiſſe, coque pauliſper donec ſolvantur pulveres. Solutio colata lente vaporet in vaſe vitreo *ad pelliculam*, ut cryſtalli formentur.

SY-

SYRUPI.

SYRUPUS ACETI.

R. Aceti libras duas cum ſemiſſe,
Sacchari puriſſimi libras tres cum ſemiſſe.

Coque ut fiat ſyrupus.

SYRUPUS EX ALTHÆA.

R. Radicum althææ aliquantulum ſiccatarum uncias novem,
Aquæ libras decem,
Sacchari puriſſimi libras quatuor.

Coque aquam cum radicibus ad dimidiam,

dimidiam; et valide exprimens cola. Liquorem colatum ſepone ut fæces ſubſidant, et defæcato adde ſaccharum; dein coque ut fiat ſyrupus.

SYRUPUS E CORTICE AURANTIORUM.

R. Corticis exterioris recentis aurantiorum Hiſpalenſium uncias ſex,
Aquæ bullientis libras tres,
Sacchari puriſſimi libras quatuor cum quadrante.

Macera cortices in aqua per noctem; dein liquori colato et defæcato

fæcato adde ſaccharum contritum, leni calore adhibito, ut fiat ſyrupus.

SYRUPUS BALSAMICUS.

R. Syrupi communis libras duas,
Tincturæ Tolutanæ unciam unam.

Syrupo recens parato, et ab igne remoto, cum pene refrixerit, immiſce paulatim tincturam, aſſidue agitans.

SYRUPUS CARYOPHYLLORUM.

R. Caryophyllorum rubrorum recentium, unguibus reſectis, libram unam,

Aquæ

Aquæ bullientis libras quatuor,
Sacchari puriſſimi libras ſeptem cum quadrante.

Macera flores in aqua per noctem, dein liquori colato adde ſaccharum contritum, quod ſolvatur leni calore ut fiat ſyrupus.

SYRUPUS COLCHICI.

R. Radicis colchici recentis, ſucculentæ, in fruſta tenuia ſectæ, unciam unam,
Aceti uncias ſexdecim,
Sacchari puriſſimi uncias viginti ſex.

Macera radicem in aceto biduum,

um, vas ſubinde agitans, dein leniter exprimens cola. Liquori colato adde ſaccharum contritum, et coque paululum ut fiat ſyrupus.

SYRUPUS SIMPLEX, ſive COMMUNIS.

R. Sacchari puriſſimi triti partes quindecim,
Aquæ partes octo.

Leni calore liquetur ſaccharum.

SYRUPUS E SUCCO MALORUM LIMONIORUM.

R. Succi malorum limoniorum, poſtquam

quam fæces ſubſederint colati, libras duas cum ſemiſſe,
Sacchari puriſſimi uncias quinquaginta.

Solvatur ſaccharum ut fiat ſyrupus.

SYRUPUS PAPAVERIS ALBI, ſeu de MECONIO, vulgo DIACODION.

R. Capitum papaveris albi ſiccatorum, ſeminibus exemptis, libras duas,
Aquæ bullientis libras triginta,
Sacchari puriſſimi libras quatuor.

Macera capita conciſa in aqua per noctem; dein coque donec ter-

tia tantum pars liquoris ſuperſit, tum valide exprimens cola. Liquorem colatum coque ad dimidium, et iterum cola; addito demum ſaccharo, coque ut fiat ſyrupus.

Fieri poteſt etiam hic ſyrupus, ſolvendo, in ſyrupi ſimplicis libris duabus cum ſemiſſe, extracti capitum papaveris albi drachmam unam.

SYRUPUS ROSARUM PALLIDARUM.

R. Roſarum pallidarum recentium libram unam,
Aquæ bullientis libras quatuor,
Sacchari puriſſimi libras tres.

Ma-

Macera roſas in aqua per noctem; dein liquori colato et defæcato adde ſaccharum; denique coquendo fiat ſyrupus.

Commode quoque fit hic ſyrupus ex liquore poſt deſtillatam aquam roſarum reſiduo, bene defæcato.

SYRUPUS E ROSIS SICCIS.

R. Roſarum rubrarum ſiccatarum uncias ſeptem,
Aquæ bullientis libras quinque,
Sacchari puriſſimi libras ſex.

Macera roſas in aqua per noctem; dein poſt brevem ebullitionem cola. Liquori colato adde ſaccharum, et coque ut fiat ſyrupus.

SYRUPUS SCILLITICUS.

R. Aceti ſcillitici libras duas,
Sacchari puriſſimi contriti libras tres cum ſemiſſe.

Solvatur leni calore ſaccharum ut fiat ſyrupus.

SYRUPUS E RHAMNO CATHARTICO, ſeu E SPINA CERVINA.

R. Succi defæcati baccarum maturarum rhamni cathartici libras ſeptem cum dimidia,
Sacchari puriſſimi libras tres cum ſemiſſe.

Coque ut fiat ſyrupus.

SY-

SYRUPUS VIOLARUM.

R. Violarum recentium libram unam,
Aquæ bullientis libras quatuor,
Sacchari puriſſimi libras ſeptem cum dimidia.

Macera violas in aqua horas viginti quatuor, vaſe vitreo vel fictili vitreato clauſo; dein cola ſine expreſſione, et liquori colato adde ſaccharum contritum ut fiat ſyrupus.

SYRUPUS ZINGIBERIS.

R. Zingiberis triti uncias tres,
Aquæ bullientis libras quatuor,

Sacchari puriſſimi libras ſeptem cum dimidia.

Macera zingiber in aqua, vaſe clauſo, horas viginti quatuor; dein liquori colato et defæcato adde ſaccharum contritum ut fiat ſyrupus.

PUL-

PULVERES.

PULVIS CRETACEUS.

R. Cretæ albæ præparatæ uncias quatuor,
Nucis moſchatæ ſemidrachmam,
Cinnamomi drachmam unam.

MISCE, fiat pulvis; qui vicem ſupplet TROCHISCORUM CARDIALGICORUM.

PULVIS DIAROMATON, ſive SPECIES AROMATICÆ.

R. Nucis moſchatæ,
Cardamomi minoris,

Zingiberis,

Zingiberis, ſingulorum uncias duas.

Misce, fiat pulvis, in vitro bene obturato ſervandus.

PULVIS E JALAPPA COMPOSITUS.

R. Radicis jalappæ unciam unam,
Cryſtallorum tartari uncias duas.

Misce, et diligenter aliquamdiu tere, ut fiat pulvis tenuiſſimus.

PULVIS E SCAMMONIO COMPOSITUS.

R. Scammonii,

Cryſtallorum

Cryſtallorum tartari, utriuſque uncias duas.

Misce, et diligenter tere, ut fiat pulvis.

PULVIS STERNUTATORIUS, ſive CEPHALICUS.

R. Foliorum aſari partes tres,
majoranæ partem unam.

Misce, fiat pulvis.

PULVIS STYPTICUS.

R. Aluminis ſeſcunciam,
Gummi kino drachmas tres.

TERANTUR ſimul in pulverem tenuem.

PULVIS SUDORIFICUS, ſive DOVERI.

R. Tartari vitriolati drachmas tres,
  Opii,
  Radicis ipecacuanhæ tritæ, utriuſque ſcrupulum unum.

MISCEANTUR et terantur ſimul accurate, donec fiat pulvis.

ELEC-

ELECTUARIA.

ELECTUARIUM CARDIACUM, vulgo CONFECTIO CARDIACA.

R. Conſervæ corticis aurantiorum uncias tres,
Nucis moſchatæ conditæ ſeſcunciam,
Zingiberis conditi drachmas ſex,
Cinnamomi in pulverem tenuem triti ſemunciam,
Syrupi e cortice aurantiorum quantum ſufficiat.

Misce, diligenter ſubigens, ut fiat electuarium.

ELECTUARIUM E CASIA, vulgo DIACASIA.

R. Pulpæ caſiæ fiſtularis uncias ſex,
tamarindorum,
Mannæ, utriuſque ſeſcunciam,
Syrupi roſarum pallidarum uncias ſex.

Mannam in mortario tritam, leni calore, ſyrupo ſolve; dein adde pulpas, et, continuato calore, ad idoneam ſpiſſitudinem redige.

ELECTUARIUM JAPONICUM, vulgo CONFECTIO JAPONICA.

R. Terræ Japonicæ uncias quatuor,
Gummi kino uncias tres,
Cinnamomi,

Cinnamomi,
Nucis moſchatæ, utriuſque unciam unam,
Opii in vini albi Hiſpani quantum ſufficiat diffuſi ſeſquidrachmam,
Syrupi e roſis ſiccis, ad mellis ſpiſſitudinem cocti, libras duas cum quadrante.

MISCE, fiat electuarium.

ELECTUARIUM LENITIVUM.

R. Pulpæ prunorum Gallicorum libram unam,
caſiæ,
tamarindorum, ſingulorum uncias duas cum ſemiſſe,
Syrupi

Syrupi ſacchari nigri, vulgo *mo-laſſes* dicti, ſeſquilibram,
Foliorum ſennæ in pulverem tenuem tritorum uncias quatuor,
Seminum coriandri in pulverem tenuem tritorum ſemunciam.

Pulpis cum ſyrupo ad mellis ſpiſſitudinem coctis adde pulveres, et bene ſubige ut fiat electuarium.

ELECTUARIUM THEBAICUM.

R. Pulveris diaromaton uncias ſex,
Radicis ſerpentariæ Virginianæ, in pulverem tenuem tritæ, uncias tres,
Opii in vini albi Hiſpani quantum

tum ſatis ſit diffuſi drachmas tres,

Mellis deſpumati triplum pondus pulverum.

Misce, fiat electuarium; quod vicem ſupplet Theriacæ Edinensis.

PILULÆ.

PILULÆ ÆTHIOPICÆ.

R. Hydrargyri drachmas ſex,
Mellis ſemunciam,
Sulphuris antimonii præcipitati,
Gummi guajaci contriti, utriuſque ſemunciam.

Terito hydrargyrum cum melle in mortario vitreo, donec globuli mercuriales non amplius appareant; dein adde ſulphur antimonii et guajacum, et mucilagine gummi Arabici fiat maſſa pilulis formandis idonea.

PILULÆ ALOETICÆ.

R. Aloes ſocotorinæ tritæ,
Extracti craſſioris gentianæ, utriuſque uncias duas.

Misce, et ſyrupo ſimplice fiat maſſa.

PILULÆ E CUPRO.

R. Cupri ammoniaci grana ſexdecim,
Micæ panis ſcrupulos quatuor,
Spiritus ſalis ammoniaci quantum ſatis ſit.

Fiat maſſa dividenda in pilulas triginta duas æquales.

PILULÆ EX COLOCYNTHIDE CUM ALOE, vulgo PILULÆ COCCIÆ.

℞. Aloes ſocotorinæ,
Scammonii, utriuſque uncias duas,
Salis polychreſti drachmas duas,
Colocynthidis unciam unam,
Olei caryophyllorum aromaticorum drachmas duas.

ALOE et ſcammonium cum ſale in pulverem redigantur; dein colocynthis, in pulverem tenuiſſimum trita, et oleum admiſceantur; denique mucilagine gummi Arabici fiat maſſa.

PILULÆ GUMMOSÆ.

R. Aſæ fœtidæ,
Galbani,
Myrrhæ, ſingulorum unciam unam.
Olei ſuccini rectificati drachmam unam.

Syrupo ſimplice fiat maſſa.

PILULÆ E JALAPPA.

R. Extracti jalappæ uncias duas,
Pulveris diaromaton ſemunciam.

Syrupo ſimplice fiat maſſa.

PILULÆ E HYDRARGYRO, ſive MERCURIALES.

R. Hydrargyri,
Mellis, utriuſque unciam unam,
Micæ panis uncias duas.

Tere hydrargyrum cum melle in mortario vitreo donec illius globuli amplius non appareant, addito, prout opus fuerit, ſyrupi ſimplicis aliquantulo; dein micam panis adjice, et aqua fiat maſſa, ſtatim dividenda in pilulas quadringentas octoginta æquales.

PILULÆ PLUMMERI.

R. Mercurii dulcis,

Sulphuris

Sulphuris antimonii præcipitati, utriuſque drachmas ſex,
Extracti gentianæ,
Saponis albi Hiſpani, utriuſque drachmas duas.

Teratur mercurius cum ſulphure ut bene miſceantur; dein addatur extractum, et ſyrupo ſimplice fiat maſſa.

PILULI RUFI, ſive COMMUNES.

R. Aloes ſocotorinæ uncias duas,
Myrrhæ unciam unam,
Croci Anglici ſemunciam.

Syrupo ſimplice fiat maſſa.

PILULÆ SCILLITICÆ.

R. Gummi ammoniaci,
Cardamomi minoris in pulverem tenuem triti,
Extracti glycyrrhizæ, ſingulorum drachmam unam,
Radicis ſcillæ exſiccatæ, et in pulverem tenuem redactæ, ſcrupulum unum.

Misce, et ſyrupo ſimplice fiat maſſa.

PILULÆ STOMACHICÆ.

R. Rhei unciam unam,
Aloes ſocotorinæ drachmas ſex,
Myrrhæ ſemunciam,

Tartari

Tartari vitriolati drachmam unam,
Olei ſtillatitii menthæ ſemidrachmam.

Syrupo e cortice aurantiorum fiat maſſa.

PILULÆ THEBAICÆ, vulgo PACIFICÆ.

R. Opii ſemunciam,
Extracti glycyrrhizæ uncias duas,
Saponis Hiſpani ſeſcunciam,
Piperis Jamaicenſis unciam unam.

Opium et extractum ſeorſim ſpiritu vinoſo tenuiore mollita, et in pulpam

pulpam contuſa, miſce; dein adde ſaponem, et piper in pulverem tritum; et bene ſubacta coge in maſſam.

TRO-

TROCHISCI.

TROCHISCI BECHICI ALBI.

R. Sacchari puriſſimi libram unam,
Gummi Arabici uncias quatuor,
Amyli unciam unam,
Florum benzoini ſemidrachmam.

Omnibus in pulverem contritis, aqua roſarum fiat maſſa in trochiſcos formanda.

TROHISCI BECHICI NIGRI.

R. Extracti glycyrrhizæ,
Gummi Arabici, utriuſque uncias quatuor,

Sacchari

Sacchari puriſſimi uncias octo.

Solve aqua calida, et cola; dein vaporet liquor, leni calore, in maſſam trochiſcis formandis idoneam.

TROCHISCI BECHICI CUM OPIO.

R. Opii puri drachmas duas,
Balſami Peruviani drachmam unam,
Tincturæ tolutanæ drachmas tres.

Teratur opium cum balſamo et tinctura prius permiſtis donec penitus ſolvatur; dein paulatim adjice
Syrupi communis uncias octo,

Extracti

Extracti glycyrrhizæ aqua calida molliti uncias quinque.

Diligenter ſubigens, ſenſim inſperge pulveris gummi Arabici uncias quinque. Exſicca ut fiant trochiſci, ſinguli grana decem pendentes.

TROCHISCI E NITRO.

℞. Nitri uncias tres,
Sacchari puriſſimi uncias novem.

Conterantur in pulverem, et mucilagine gummi tragacanthæ fiant trochiſci.

TROCHISCI E SULPHURE, ſive DIA-SULPHURIS.

℞. Florum ſulphuris uncias duas,
benzoini ſcrupulum unum,
Cinnabaris factitiæ ſemidrachmam,
Sacchari puriſſimi uncias quatuor.

CONTERANTUR ſimul, et mucilagine gummi tragacanthæ fiant trochiſci.

LINI-

LINIMENTA, UNGUENTA, ET CERATA.

In his componendis, pinguia et reſinoſa leni calore liqueſcant, dein aſſidue agitentur, inſperſis ſimul aridis, ſi quæ ſint, in pulverem tenuiſſimum tritis, donec miſtura, diminuto calore, riguerit.

LINIMENTUM SIMPLEX.

R. Olei olivarum partes quatuor,
Ceræ albæ partem unam.

UNGUENTUM SIMPLEX.

R. Olei olivarum partes quinque,
Ceræ albæ partes duas.

CE-

CERATUM SIMPLEX.

R. Olei olivarum partes ſex,
Ceræ albæ partes tres,
Spermatis ceti partem unam.

UNGUENTUM BASILICUM.

R. Axungiæ porcinæ partes octo,
Reſinæ albæ partes quinque,
Ceræ flavæ partes duas.

UNGUENTUM EPISPASTICUM E PULVERE CANTHARIDUM.

R. Unguenti baſilici partes ſeptem,
Pulveris cantharidum partem unam.

UN-

UNGUENTUM EPISPASTICUM EX INFUSO CANTHARIDUM.

R. Cantharidum unciam unam,
Aquæ bullientis uncias quatuor,
Axungiæ porcinæ,
Terebinthinæ Venetæ, utriuſque uncias duas,
Ceræ flavæ,
Reſinæ albæ, utriuſque unciam unam.

Macera cantharides in aqua per noctem, et, valide exprimens, cola; dein liquorem, addita axungia, coque ad humoris aquei conſumptionem; tum adde ceram et reſinam; quibus liquefactis, et ab igne remotis, terebinthinam adde.

UNGUENTUM E CERUSSA, vulgo ALBUM.

R. Unguenti ſimplicis partes quinque,
Ceruſſæ partem unam.

UNGUENTUM SATURNINUM.

R. Unguenti ſimplicis partes viginti,
Sacchari Saturni partem unam.

CERATUM E LAPIDE CALAMINARI.

R. Cerati ſimplicis partes quinque,
Lapidis calaminaris præparati partem unam.

UNGUENTUM E TUTIA.

R. Linimenti ſimplicis partes quinque,
Tutiæ præparatæ partem unam.

UNGUENTUM E CALCE ZINCI.

R. Linimenti ſimplicis partes ſex,
Calcis Zinci partem unam.

UNGUENTUM EX ÆRUGINE.

R. Unguenti baſilici partes quindecim,
Æruginis partem unam.

UNGUENTUM CITRINUM.

R. Hydrargyri unciam unam,
Spiritus nitri uncias duas.

Digere ſuper arenam calidam ut fiat ſolutio, quæ calidiſſima adhuc miſceatur cum axungiæ porcinæ liquefactæ, et denuo frigeſcentis, libra una; ſtrenue dein miſturam ſubige in mortario vitreo, ut fiat unguentum uniforme.

UNGUENTUM EX HYDRARGYRO, ſive CÆRULEUM.

R. Hydrargyri,
Sevi ovilli, utriuſque partem unam,
Axungiæ

Axungiæ porcinæ partes tres.

Tere diligenter in mortario donec evaneſcant globuli.

Fit quoque cum hydrargyro duplice et triplice.

UNGUENTUM E PICE.

R. Picis liquidæ partes quinque,
Ceræ flavæ partes duas.

UNGUENTUM E SULPHURE, ſive ANTIPSORICUM.

R. Axungiæ porcinæ partes quatuor,
Sulphuris in pulverem tenuiſſimum triti partem unam,

Singulis unguenti hujus libris adde
Eſſentiæ limonum, vel
Olei lavendulæ, ſemidrachmam.

E M-

EMPLASTRA.

EMPLASTRUM COMMUNE.

R. Lythargyri partem unam,
Olei olivarum partes duas.

Adjecta aqua, coque, aſſidue agitans, donec oleum et lithargyrus coeant in emplaſtrum.

EMPLASTRUM ADHÆSIVUM.

R. Emplaſtri communis partes quinque,
Reſinæ albæ partem unam,

EMPLASTRUM CEREUM.

R. Ceræ flavæ partes tres,
Sevi ovilli,
Reſinæ albæ, utriuſque partes duas.

EMPLASTRUM DEFENSIVUM, ſive ROBORANS.

R. Emplaſtri communis partes viginti quatuor,
Reſinæ albæ partes ſex,
Ceræ flavæ,
Olei olivarum, utriuſque partes tres,
Colcotharis vitrioli partes octo.

Teratur colcothar cum oleo, et dein cæteris liquefactis adjiciatur.

EM-

EMPLASTRUM FOETIDUM, vulgo ANTIHYSTERICUM.

R. Emplaſtri communis,
Aſa fœtidæ colatæ, utriuſque partes duas,
Ceræ flavæ,
Galbani colati, utriuſque partem unam.

EMPLASTRUM GUMMOSUM.

R. Emplaſtri communis partes octo,
Gummi ammoniaci colati,
Galbani colati,
Ceræ flavæ, ſingulorum partem unam.

EM-

EMPLASTRUM E HYDRARGYRO, ſive CÆRULEUM.

R. Olei olivarum,
Reſinæ albæ, utriuſque partem unam,
Hydrargyri partes tres,
Emplaſtri communis partes ſex.

Cum oleo et reſina, liquefactis ſimul et dein refrigeratis, teratur hydrargyrus donec evaneſcant globuli; tum paulatim addatur emplaſtrum ſimplex liquefactum, et omnia accurate miſceantur.

EM-

EMPLASTRUM SAPONACEUM.

R. Emplaſtri communis partes quatuor,
Emplaſtri gummoſi partes duas,
Saponis albi Hiſpani raſi partem unam.

Emplastris ſimul liquefactis ſapo admiſceatur; dein coquantur paululum ut fiat emplaſtrum.

EMPLASTRUM VESICATORIUM.

R. Axungiæ porcinæ,
Ceræ flavæ,
Reſinæ albæ,
Cantharidum, ſingulorum paria pondera.

Can-

Cantharides in pulverem tenuem tritæ, cæteris liquefactis, et ab igne remotis, adjiciantur.

FINIS.

INDEX

Medicamentorum Præparatorum et Compoſitorum.

A	Pag.
Aceta	102
Acetum deſtillatum	143
ſcilliticum	102
Acidum muriaticum	143
nitri vinoſum	145
nitroſum	144
nitroſum tenue	145
vitriolicum tenue	146
vitriolicum vinoſum	148
Æthiops mineralis	176
Alcali fixum vegetabile acetatum	164
tartariſatum	163
vitriolatum	161
volatile cauſticum	150
volatile ex ſale ammoniaco	149
Alumen uſtum	71
Antimonium præparatum	71
Aqua anethi	131

Aqua

I N D E X.

Pag.

Aqua calcis 92
carvi 133
caſſiæ ligneæ 132
cinnamomi ſimplex ib.
ſpirituoſa 133
corticis aurantiorum Hiſpalenſium 132
malorum limoniorum ib.
deſtillata 131
juniperi compoſita 134
menthæ piperitidis ſimplex 132
ſpirituoſa 133
ſativæ 132
nucis moſchatæ 134
piperis Jamaicenſis ſimplex 132
ſpirituoſa 134
pulegii 132
roſarum ib.
ſapphirina 171
ſeminum anethi ſimplex 131
ſtyptica 171
vitriolica 176
Aquæ ſtillatitiæ ſimplices 131
ſpirituoſæ 133

B

INDEX

Pag.

B

Balſamum anodynum 125
ſaponaceum 126
ſulphuris craſſum 142
traumaticum 127
Butyrum antimonii 185

C

Calaminaris lapis præparatus 72
Calx antimonii nitrata 188
zinci 174
Cauſticum antimoniale 185
commune acerrimum 159
mitius 160
lunare 168
Cerata 223
Ceratum e lapide calaminari 226
ſimplex 224
Colcothar vitrioli 173
Confectio cardiaca 205
Japonica 206
Conſervæ 79
Conſerva aurantiorum ib.
menthæ ib.

Conſerva

	Pag.
Conſerva prunorum ſilveſtrium	80
rofarum	79
Creta præparata	73
Crocus antimonii	183
metallorum	ib.
Cuprum ammoniacum	170
D	
Decocta	93
Decoctum althææ	ib.
commune	ib.
hordei	94
lignorum	95
ſenekæ	96
E	
Electuaria	205
Electuarium cardiacum	ib.
diacaſia	206
e caſia	ib.
Japonicum	ib.
lenitivum	207
Thebaicum	208
Elixir aloes	115

Elixir

INDEX.

	Pag.
Elixir ex aloe et rheo	118
guajacinum	110
volatile	ib.
paregoricum	114
proprietatis	115
vitriolicum	116
ſacrum	118
ſalutis	120
ſtomachicum	104
traumaticum	127
vitrioli acidum	123
dulce	124
Emplaſtra	231
Emplaſtrum adhæſivum	ib.
antihyſtericum	233
cæruleum	234
cereum	232
commune	231
defenſivum	232
e hydrargyro	234
fœtidum	233
gummoſum	ib.
roborans	232

Q Emplaſtrum

I N D E X.

Pag.

Emplaſtrum ſaponaceum 235
veſicatorium ib.
Emulſiones 86
Emulſio Arabica ib.
communis ib.
Ens Veneris 173
Extracta 128
Extractum capitum papaveris albi 129
corticis Peruviani 130
foliorum pulſatillæ nigricantis 129
rutæ ib.
gentianæ 128
hellebori nigri 129
jalappæ 129
ligni Campechenſis 130
melampodii 129
ſeminum cicutæ ib.

F

Ferri limatura præparata 73
purificata 73
rubigo ib.
ſquamæ purificatæ 74

Flores

	Pag.
Flores benzoini	148
Martiales	173
zinci	174

H

Herbarum et florum exſiccatio	74

I

Infuſa	87
Infuſum amarum	ib.
rhei	88
roſarum	ib.
tamarindorum cum ſenna	89

L

Laudanum liquidum	121
Linimenta	223
Linimentum anodynum	125
ſaponaceum	126
ſimplex	223
Liquor æthereus vitriolicus	146
Lixivium cauſticum	157

Pag.

M

Magneſia alba 166
uſta 167
Mercurius corroſivus ruber 180
dulcis 179
flavus 182
præcipitatus albus 180
ruber ib.
ſublimatus corroſivus 177
Metallica 168
Millepedæ præparatæ 75
Mucilago gummi Arabici 91
tragacanthæ ib.

O

Oculi cancrorum præparati 75
Olea eſſentialia 137
expreſſa 85
ſtillatitia 137
Oleoſa 142
Oleum camphoratum ib.
e cornubus rectificatum, ſive
oleum animale 139

INDEX.

	Pag.
Oleum eſſentiale aniſi	137
juniperi	ib.
lavendulæ	ib.
menthæ piperitidis	ib.
ſativæ	ib.
piperis Jamaicenſis	ib.
roriſmarini	ib.
ſabinæ	ib.
ſaſſafras	ib.
expreſſum amygdalarum	85
ſuccini	140
rectificatum	141

P

Pilulæ	210
Æthiopicæ	ib.
aloeticæ	211
cocciæ	212
ex colocynthide cum aloe	ib.
communes	215
e cupro	211
gummoſæ	213
e hydrargyro	214
e jalappa	213

Q 3 Pilulæ

	Pag.
Pilulæ mercuriales	214
pacificæ	217
Plummeri	214
Rufi	215
ſcilliticæ	216
ſtomachicæ	ib.
Thebaicæ	217
Potio cretacea	90
Pulparum extractio	76
Pulveres	201
Pulvis cephalicus	203
cretaceus	201
diaromaton	ib.
Doveri	204
e jalappa compoſitus	202
e ſcammonio compoſitus	ib.
mercurii cinereus	181
ſternutatorius	203
ſtypticus	ib.
ſudorificus	204

R

Rob ſambuci	84

S

Pag.

S

Saccharum Saturni 169
Sal alcalinus fixus vegetabilis purificatus 156
foſſilis purificatus 157
ammoniacus volatilis 149
argenti 168
catharticus Glauberi 162
chalybis 172
plumbi 169
polychreſtus 162
rupellenſis 164
tartari 154
Sales et ſalina 143
Scillæ exſiccatio 77
Soda tartariſata 164
vitriolata 162
Solutio mercurii ſublimati corroſivi 178
Species aromaticæ 201
Spiritus lavendulæ compoſitus 136
ſimplex 135
Mindereri 154
nitri dulcis 145

INDEX.

	Pag.
Spiritus nitri Glauberi	144
roriſmarini	135
ſalinus aromaticus	153
ſalis ammoniaci	150
cum calce viva	150
vinoſus	152
marini	143
ſtillatitii	135
vinoſus camphoratus	125
vitrioli dulcis	148
tenuis	146
volatilis aromaticus	153
fœtidus	ib.
oleoſus	ib.
Spongiæ uſtio	77
Succi	81
Succi ad ſcorbuticos	ib.
ſpiſſati	82
Succus ſpiſſatus aconiti	82
baccarum ſambuci	84
belladonnæ	83
cicutæ	ib.

Succus

	Pag.
Succus ſpiſſatus hyoſcyami	83
Sulphur antimonii auratum	184
præcipitatum	ib.
Syrupi	190
Syrupus aceti	ib.
ex althæa	ib.
e cortice aurantiorum	191
balſamicus	192
caryophyllorum	ib.
colchici	193
communis	194
diacodion	195
de meconio	195
papaveris albi	ib.
e rhamno cathartico	198
roſarum pallidarum	196
e roſis ſiccis	197
ſcilliticus	198
ſimplex	194
e ſpina cervina	198
e ſucco malorum limoniorum	194
violarum	199
zingiberis	ib.

T

INDEX.

Pag.

T

Tartarus antimonialis 188
  emeticus ib.
Tartarum regeneratum 164
  ſolubile 163
  vitriolatum 161
Teſtæ oſtreorum præparatæ 78
Tinctura abſinthii 103
  amara 104
  antiphthiſica 119
  aromatica 104
  cantharidum 105
  cardamomi 106
  caſtorei ib.
    compoſita 107
  cinnamomi ib.
  corticis Peruviani 108
  croci ib.
  fœtida 109
  fuliginis ib.
  hellebori albi 123
    nigri 111
  jalappæ ib.

Tinctura

INDEX.

		Pag.
Tinctura Japonica		112
e kino		ib.
Martis		113
melampodii		111
moſchi		113
myrrhæ		114
rhei		117
	amara	118
	dulcis	117
ſacra		97
ſaturnina		119
ſennæ compoſita		120
ſerpentariæ		ib.
Thebaica		121
Tolutana		ib.
valerianæ volatilis		122
veratri		123
Tincturæ		103
Trochiſci		219
Trochiſci bechici albi		ib.
	nigri	ib.
	cum opio	220
diaſulphuris		222
e nitro		221

Trochiſci

Pag.
Trochiſci e ſulphure 222
Turpethum minerale 182
Tutia præparata 78

V

Vina 97
Vinum aloeticum ib.
amarum ib.
antimoniale 99
e tartaro antimoniali ib.
ipecacuanhæ 100
millepedatum ib.
rhei 101
Vitriolum album 175
calcinatum 173
Martis 172
Vitrum antimonii 186
ceratum 187
Unguenta 223
Unguentum album 226
antipſoricum 229
ex ærugine 227
baſilicum 224

Unguentum

INDEX.

		Pag.
Unguentum	cæruleum	228
	e calce zinci	227
	e cerufſa	226
	citrinum	228
	epiſpaſticum e pulvere cantharidum	224
	ex infuſo canthari-dum	225
	ex hydrargyro	228
	e pice	229
	Saturninum	226
	ſimplex	223
	e ſulphure	229
	e tutia	227

FINIS.

UNIVERSITY OF BRISTOL
MEDICAL
LIBRARY

BOOKS printed and ſold by John Bell, *Parliament Square.*

1. Principia Medicinæ, auctore Franciſco Home, Med. Reg. Col. Med. Edin. Soc. et Med. Mat. Med. Prof. in Acad. Edin. editio tertia, price 5 s. bound.

2. Methodus Materiæ Medicæ, auctore Franciſco Home, Med. Reg. Col. Med. Edin. Soc. et Med. Mat. Med. Prof. in Acad. Edin. price 1 s. ſewed.

3. Lectures on the Materia Medica; containing the natural hiſtory of drugs, their virtues, and doſes; alſo directions for the ſtudy of the Materia Medica, and an appendix on the method of preſcribing. Publiſhed from the manuſcript of the late Dr Charles Alſton, Prof. of Bot. and the Mat. Med. in the Univ. of Edinb. by John Hope, M. D. Profeſ. of Med. and Bot. in that Univer. 2 vols 4to, price L. 1, 16 s. bound.

4. Phyſiological Eſſays and Obſervations, by John Steedman, M. D. Fellow of the Royal Col. of Phyſ. in Edinburgh, price 2 s. 6 d. ſewed.

5. Douglas on the Muſcles, a new edition, with an account of the Blood-veſſels and Nerves. 8vo. 4 s. bound.

6 Firſt Lines of Phyſiology, by the celebrated Baron Albert. Haller, M. D. &c. Tranſlated from the correct Latin edition printed under the inſpection of William Cullen, M. D. price 7 s. bound.

7. Halleri Primæ Lineæ Phyſiologiæ, 8vo, price 6 s. bound.

8. A Treatiſe on Comparative Anatomy. By Alexander Monro, M. D. F. R. S. Fellow of the Royal Col. of Phyſ. and late Profeſ. of Med. and Anat. in the Univ. of Edinburgh. Publiſhed by his Son Alex. Monro, M. D. Profeſ. of Med. and of Anat. and Surg. in the Univ. of Edinburgh. A new edition. With conſiderable improvements and additions, by other hands. Price 2 s. 6 d. in boards.

9. Dr Monro's Anatomy of the Bones, &c. with the Comparative Anatomy bound in with it. Price 4 s. in boards, and 5 s. neatly bound.

10. The whole Works of Dr Alexander Monro ſenior, with plates, and a head of the author. royal 4to. 1 l. 5 s. boards.

11. A Syſtem of Surgery, Vol. 1. By B. Bell, member of the Royal Col. of Surgeons of Edinburgh, and one of the Surgeons to the Royal Infirmary. 8vo 6 s. in boards. —— This volume, amongſt other things, treats of Sutures, Hæmorrhagies, Blood-letting, Aneuriſms, Herniæ, Hydrocele, Hymatocele, Scirrhous Teſticle, Diſeaſes of the Penis, &c. &c.

12. Theſaurus Medicus, a ſelection of the beſt medical theſes delivered in the Univerſity of Edinburgh, from its inſtitution to the preſent time, executed by the approbation of the preſent profeſſors, 2 vols 8vo, 12 s. boards.

13. Van Swieten's (Baron) Commentaries upon Boerhaave's aphoriſms concerning the knowledge and cure of diſeaſes, a correct edition, dedicated to Dr Cullen, 18 vols, royal paper, 3 l. 3 s.

14. Innes's Eight Anatomical Tables of the Human Body, containing the principal parts of the ſkeleton and muſcles repreſented in the large tables of Albinus, with conciſe explanations, and the life of the author, ſmall 4to, new edition, 6 s. boards.

15. Innes's Short Deſcription of the Human Muſcles, chiefly as they appear on diſſection, together with their ſeveral uſes, and the ſynonyma of the beſt authors, a new edition, greatly improved by Alexander Monro, M. D. 12mo, 2 s. 6 d. boards.

16. Smellie's Theory and Practice of Midwifery; to which is now added, his ſet of Anatomical Tables, exhibiting the various caſes that occur in practice, accurately engraven by Andrew Bell, on 40 copper-plates, with explanations; the whole corrected by an eminent man-midwife; 3 vols, 10 s. 6 d. neatly bound; 9 s. boards.

17. Smellie's ſet of Anatomical Tables, and an abridgement of the practice of midwifery, with a view to illuſtrate his treatiſe on that ſubject, and collection of caſes, 8vo ſize 6 s. 12mo ſize 5 s. boards.

UNIVERSITY OF BRISTOL MEDICINE

The *Weights* uſed in the *Pharmacopœia Edinburgenſis*, and properly divided, as recommended by the College of Phyſicians in Edinburgh, are made, and only to be had at the Shop of *John Milne and Son, Founders and Ironmongers in Edinburgh.*